2019 Catalogue





best choice for surface preparation

#BeBetterPrepared



CONTENTS

ABRASIVES

- 8 Lines Forms
- 9 Abrasive Plan
- 10 The Components Fastening Systems FEPA Grit
- 11 Safety Recommendations

Discs

- 12 Rhynogrip HT Line Ultravent
- 14 Rhynogrip HT Line
- 15 Rhynogrip Film Line Ultravent
- Rhynogrip Film Line 17 Rhynocell
- Rhynofinish
- 18 Rhynogrip Red Line Rhynogrip Plus Line Ultravent
- 19 Rhynogrip Plus Line
- 21 Rhynogrip White Line Rhynostick White Line
- 22 Rhynostick MFS Rhynofibre Silver
- 23 Nylon Web Quickfix

Strips

- 24 Rhynogrip HT Line
- 25 Rhynogrip Plus Line
- 26 Rhynostick White Line

Sheets

- 27 Rhynowet Plus Line28 Rhynowet White Line
- Rhynalox Plus Line Rhynowood
- 29 Rhynoblue Rhynosoft

Rolls

- 30 Rhynostick White Line
- 31 Rhynalox Plus Line
- Rhynolite Yellow Line
- 32 Rhynolite Heavy Line
- 33 Rhynosoft Nylon Web

Sponges & Web

- 34 Double Sided Sanding Sponge Pads
- 35 Rhyno Sponge Sanding Pads Four Sided Sanding Blocks

Belts

36 Rhynobelt Rhyno X/Z

TOOLS

- 38 Sanders
- 40 Polishers
- 41 Belt Sanders
- 42 Vacuum Extraction
- 43 MBX System
- 45 Specialised Tools

ANCILLIARIES

- 48 Backing Pads 51 Hand Blocks
- 52 Blades & Drill Bits
- 53 Bodyshop Ancillaries
- 55 Workstation PRO

SEALANTS, ADHESIVES & COATINGS

- 57 Sealants
- 58 Plastic Repair
- 59 Anti-Corrosion
- Sound Deadening
- 60 Aerosol Coatings
- 61 Applicators & Nozzles
- 62 Autofill
- 64 Evercoat
- 66 LORD Fusor

POLISHING

- 68 Autogloss Plus
- 70 Autogloss Mops & Cloth

TECHNICAL TAPES

- 72 Masking Tapes 73 Masking Cover Ro
- 73 Masking Cover Rolls74 Masking Foam
- Specialised Tapes
- 78 Terms & Conditions

INDASA professional sanding systems



Founded in 1979, Indasa is now one of Europe's leading manufacturers of high performance coated abrasives.

From its headquarters in Aveiro, Portugal, the company specialises in the production of innovative sanding materials and systems that deliver market specific solutions to a wide range of manufacturing and service industries.

An ongoing program of investment has resulted in the manufacturing plant becoming one of the most modern production facilities in Europe, with increased capacity to respond to the growing demands of the global market for Indasa's Rhyno brand of abrasive products. The consistently high standards of development, production and marketing of coated abrasives has earned the company a number of globally recognized accreditations over the years.

The Indasa Group consists of 8 wholly owned subsidiaries that are located in Spain, UK, France, Germany, Poland, Brazil, USA and Italy.

Export markets have been established in over 100 countries worldwide with a network of key distribution partners that service local market demand and promote continued business development.



Over the past 40 years, Indasa has successfully positioned itself as one of the leading coated abrasives brands in the UK. With a commitment to our customers and innovative product range, Indasa has become synonymous with performance, satisfaction and quality. Indasa offers a wide range of abrasives and accessories for your needs, regardless of your industry. We strive to continually develop and supply a wide range of quality products and systems to meet all of the strict and ever-changing market needs.







In 1994 Indasa implemented a Quality Assurance System according to the NP EN ISO 9002 which was a natural step to strengthen and standardise our manufacturing capabilities. Indasa extended its certification to ISO 9001 in 2000, including development, manufacturing and distribution of flexible abrasives.

The company's management system is currently certified for the "development, manufacturing and selling of flexible abrasives and complementary products."

INDASA CORE VALUES

MANUFACTURING

We have been at the forefront of manufacturing abrasives for almost 40 years. Fundamental to our strategic goal is our desire to continuously fulfil the highest quality and performance standards.

An essential component of our work ethic is our manufacturing expertise, which is a direct result of the investment in the personal development of the Indasa employee. This collaborative synergy ensures that we manufacture and operate with customer value and market specific solutions in mind.

QUALITY AND R&D

Our commitment to deliver an inspired and valued range of products, is one that can only be achieved by a company whose culture strives for excellence. We utilise our key areas of expertise in the manufacturing process to ensure that nothing but the highest quality product leaves our production plant and represents our brand.

Through highly competent internal resources, unique partnerships with key suppliers, universities and R&D centres, we have created a business and operating model that differentiates us from other renowned global players.

Our ability to challenge traditional concepts in an ever-evolving industry positions us as a leading provider for performance products, materials and service.

CORPORATE RESPONSIBILITY

It's becoming increasingly evident that responsible business practices are imperative for a successful future.

Corporate responsibility and sustainability drives our business development and innovation - ultimately it shapes the way in which we operate.

ENVIRONMENTAL SUSTAINABILITY

Recognition of our environmental sustainability is gaining momentum throughout the business operation, from energy resource or waste generation to commercial mileage consumption.

We believe that having a positive reputation exemplifies our proposition for our customers, employees, shareholders and business partners alike.





RESEARCH & DEVELOPMENT






Research & Development plays a crucial role in the ongoing development of technically advanced, high performance abrasive materials. Only the highest quality raw materials and FEPA compliant mineral grains are used, thus providing consistency of performance and efficiency across the abrasive grit range.

Indasa ultilises its key areas of expertise to offer complete systems for surface treatment, preparation and finishing, across diverse market sectors such as automotive, marine & composite, woodworking and building & decorative trades.

DVANCED DUST FREE SOLUTION



Indasa has developed a unique and highly advanced dust free sanding solution with the ability to transform the future of machine sanding. The extraction capacity of the new Ultravent system virtually eliminates abrasive clogging, prolongs performance and provides a clean, healthy working environment. The superior dust free sanding process produces a highly consistent finish, maximizes operator efficiency and optimises bodyshop key performance indicators (KPI's).



INNOVATIVE CELL TECHNOLOGY by INDASA

Indasa launched the Rhynocell abrasive system that brings a new dimension to specialised surface preparation for compound and high gloss polishing applications. It is a system resulting from a collaboration between our R&D department and leading paint and polish companies. This prepolishing process incorporates an innovative cell technology developed by Indasa. The uniformity and consistency of scratch delivers the optimum surface for compound/polish applications and offers a labour efficient and material savings polishing process.

You can see it in the finish.



Opened in January 2016, the Indasa Academy welcomes customers from all over the world serving the broadest spectrum of industry markets. The Academy represents not only a major investment in the facility but also the commitment and delivery of technical expertise and instruction.


The application of best working practice is a key essential in driving efficiency for the workforce and business operation. Our team of experienced technicians instruct delegates in the very latest process and application techniques utilising Indasa's innovative range of abrasive system technologies. The bespoke and tailored training programmes develop the customer's skill base and optimise efficiencies in the workplace.







ABRASIVES BEST CHOICE FOR SURFACE PREPARATION





PRODUCTIndasa's flexible abrasive materials integrate a full range of product
for the most demanding sanding processes.

| HT Line | Faster and sustained power Increased flexibility Prolonged performance |
|-------------------|---|
| FilmLine | Flexible film backing Micro finishing grain Consistent scratch pattern |
| PlusLine | Flexible paper backing Excellent clog resistance Longer working life |
| Red Line | High performance abrasive grain Latex paper backing Lubricant coating minimises loading |
| WhiteLine | High performance abrasive grain Latex paper backing Lubricant coating minimises loading |
| Heavy Line | Heavy duty paper backing Aluminium oxide mineral grain Durable cutting performance |

VT KAVEľ ADVANCED DUST FREE SOLUTION

PRODUCT TYPE





P16 P20 P21 P20 P200 P100 P200 P2100 P2200 P240 P240 P240 P240 P240 P240 P240 P2500 Medium Medium Very fine Very fine P1200 P2500 Meridium Meridium Meridium Meridium Meridium Meridium Meridium P2500 P2500 P2500 P2500 P2500 P2500 P1000 P11000 P11000 P11000 P11000 P11000 P11000<

| DESCRIPTION | BACKING | ABRASIVE | | | | | | | FEPA- | -P GRI | TS | | | | | | | | GR | ITS | | | AP | PLICATION | SUGGES | TIONS | | | | | | | ; | SUBST | TRATE | | | | | | | | PROD | OUCT T | YPE |
|---------------------------|-----------------------------|---|------|-------|-------|----------------|--------------|--|-----------|------------------|------------------|------------------|--------|------------------|-------|---------|-------|--------|-------------|--------------|------------|---|-----------------------|--|---|------------------------------------|---|------------------------|-----------|-------------|----------|--|-------------------------|-------------------|------------------------|-----------------------------|---------------|------------------|-----------------|------------------|-------------------|---|-------------------|--------|---------------|
| Rhynogrip Film Line | Polyester Film | Special Alum. Oxide | de | | | | | \square | \square | • | • | | | | • • | • | | | | | Π | | | | | | | | • • | | | | | | \square | | \square | | • • | | | • | | | \square |
| Rhynogrip HT Line | D / B Paper Latex | Special Alum. Oxide | de | | | | • | , | | • • | • | | • | | • • | • • | | | | | | | | • • • | | | • | • • | • • | | | | | | Π | • | | | • • | • | | | • | | |
| Rhynocell | Sponge Microcellular | Special Alum. Oxide | de | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rhynogrip Red Line | D Paper / B Paper Latex | Aluminum Oxide | | | | • | •• | | | • • | • • | • • | | | • • | • • | | | | | \square | | | • • • | | | • | • • | • • | | | | • • | | | •• | | | • • | | | | • | • | |
| Rhynogrip Plus Line | D Paper / C / B Paper Latex | Aluminum Oxide | | | | • | •• | , • • | | • • | • • | • • | | | | | | | \square | | \square | | | • • | | | • | • • | • • | | | | | | | | | | • • | | | | • | • | |
| Rhynogrip White Line | D / C Paper | Aluminum Oxide | | | | • | • • | , • • | | • • | • • | • • | | | | | | | | | | | | • | | | • | • • | • • | | | | • | | | | | | • • | • | | | • | • | |
| Rhynogrip Heavy Line | E Paper | Aluminum Oxide | | | | • | • • | , • • | | • • | • | | | | | | | | | | | | | | | | • | • • | • | | | | • | | | • • | •• | | • • | • | | | | | |
| Rhynalox White Line | D Paper | Aluminum Oxide | | | | • | • • | , |) | | | | | | | | | | | | | | | • | | | • | • • | • | | | | • | | | | | | • • | | | | • • | • | |
| Rhynodry White Line | D / C Paper | Aluminum Oxide | | | | | | | | • • | • • | • • | | | | | | | | | | | | • | | | • | • • | • | | | | • | | | • | • | | | | | | • • | • | |
| Rhynodry Red Line | D Paper / B Paper Latex | Aluminum Oxide | | | | • | • | , • • | | • | • • | • • | | | • • | • • | | | | | | | | • • • | | | • | • • | • • | | | | • | | | • | | | • • | • | | | • • | • | |
| Rhynowet Red Line | C / A Paper Latex | Aluminum Oxide / Silicon Carbide | / | | | | • | | | • | • • | • • | | | • • | • | • | | | | | | • | • • • | | | • | • | • • | • | | | | | | | | • | • • | | | | • | | |
| Rhynowet Plus Line | C / A Paper Latex | Aluminum Oxide / Silicon Carbide | / | | | | | | | • • | • • | • • | | | • • | • • | • | | | | | | • | • • • | | | • | • | • • | • | | | | | | | | • | • • | | | | • | | |
| Rhynalox Plus Line | D / C / B Paper Latex | Aluminum Oxide | | | | | | | | • | • | | | | | | | | | | | | | • • | | | • | • | • | | | | | | | | | | • | | | | • | • | |
| Rhynostick Heavy Line | E Paper | Aluminum Oxide | | | | • | | , • • | | • • | | | | | | | | | | | | | | | | | • | • • | • | | | | • | | | • • | | | • • | | | | | | |
| Rhynostick White Line | D / C Paper | Aluminum Oxide | | | | • | | | | • • | | • • | | | | | | | | | | | | | | | • | • • | • | | | | • | | | | | | • • | | | | • | | |
| Rhynostick Plus Line | D / C / B Paper Latex | Aluminum Oxide | | | | • | | | | • • | | • • | | | | | | | | | | | | • • | | | • | • • | • • | | | | | | | | | | • • | | | | | | |
| Rhynostick Red Line | D / C Paper | Aluminum Oxide | | | | • | | | | • • | | • • | | | | | | | | | | | | • | | | • | • • | • • | | | | • • | | | • • | | | • • | | | | • | | |
| Rhynofibre 'A' Silver | Vulcanized Fibre | Aluminum Oxide | | | | • • | | |) | | | | | | | | | | | | | | | | | | • | • | | | | | • | | | | | | | | | | | | |
| Rhynofibre 'Z' Silver | Vulcanized Fibre | Zirconium | | | | | | 1 | | | | | | | | | | | | | | | | | | | • | • | | | | | • • | | | | | | | | | • | | | |
| Rhynogrip SiC | F Paper | Silicon Carbide | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rhynoblue | Cloth Blue | Aluminum Oxide | | | | • | | | | • | | | | | | | | | | | | | | | | | | • | | | | | • | | | | | | • | | | | • | | |
| Rhynowood | B Paper | Aluminum Oxide | | | | | | | 1 | • | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rhynosoft Plus / Red Line | B / C Latex + Sponge | Aluminum Oxide | | | | | | | 1 | • | | | | | • | • | | | | | | | | • • • | | | | • | • | | | | | | | • • | | | • | | | | | | • |
| Rhynobelt | Cloth X | Aluminum Oxide | | | | • | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nylon Web | Nylon Web | Aluminum Oxide / Silicon Carbide | / | | | | | | | | | | | | | | | | • | • | | | | • • | • | | | | • | | | | • | | | • | | | • • | | | | • | • | |
| Sponge Auto | Sponge | Aluminum Oxide | | | | | | | | | | | | | | | | | | • | | | | • • • | | | | | • | | | | | | | | | | • | | | | | | • |
| Sponge Double Sided | Sponge | Silicon Carbide | | | | | | | | • | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | | | | | | • |
| 4 Sided Block | Sponge | Aluminum Oxide | | | | | | |) | • | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • |
| Daisy Discs | C Paper Latex | Silicon Carbide | | | | | | | | | | | | | | | | | | | | | | • | | | | | | | | | | | | | | | | | | | | | |
| Locking Discs | Cloth X | Aluminum Oxide / Zirconium / Ceramic | | • | • | • | • | | | | | | | | | | | | | | | | | | | | • | • | | | | • | • | | | | | | | | | • | | | |
| | | | P16_ | P20 - | P30 - | P40 - P50 - | - 094 P80 | P100 - P120 - P1 | P150 - | P220 - P240 - | P280 - P320 - | P360 - P400 - | P500 - | - 0001 - 0002 | P1000 | P1500 - | P2500 | Medium | Very fine _ | Ultra fine _ | Super fine | - | Sanding / preparation | Fine sanding _ Sanding for blending _ Micro-finishing / rectifying _ | Pre-polisining Scuffing / key paint work Surface conditioning | Sanding Adhesive & tape removal | Rust and paint removal Paint removal | Old paint _ Fillers | Primers _ | Clear coats | Gel coat | Solid surrace Metal burrs & welding seems | Metal _ Hard metal _ | Leather and shoes | Soft and resinous wood | Hard wood _ Wood coatings _ | Wooden floors | Stone & concrete | Painted surface | Polyester filler | Composite Plastic | | STRIPS _ SHEETS _ | ROLLS | BELTS SPONGES |

THE COMPONENTS




RHYNO ABRASIVE SYSTEMS

Rhyno products offer the optimum performance and durability for all refinishing operations. Developed specifically to meet the exact standards of the professionals and to keep pace with advanced refinishing techniques. they perform quicker and last longer while producing the ideal surface for the next stage of the work process.

ABRASIVES

High performance mineral grains: Aluminum oxide Silicon carbide



DRY SANDING SPECIAL COATING

As a 3rd coating, a clog resistant lubricant technology is used in specific products for dry sanding operations.

BACKINGS

PAPER The most used are the following premium backing papers: ABCDEGH

flexibility Resistance The waterproof latex papers incorporate a synthetic polymer which also increases flexibility.

CLOTH

F¹ X^1 Y^2 flexibility Resistance

VULCANIZED FIBRE


Is used in abrasive discs for very heavy duty applications.

POLYESTER FILM


Used for finishing operations performed with microfine grits.

FASTENING SYSTEMS

THE TAB SYSTEM



removal of the release paper from the Rhynostick discs.



enables the removal of the Rhynogrip discs from the machine's backing pad for reuse.

The brushed nylon

"Grip" system

THE GRIP SYSTEM



Indasa abrasives systems are at the forefront of coated abrasive technology. The investments in the development of our products are always in response to the needs of our customers and in trend with the latest surface treatment techniques. resulting in the unquestionable recognition of our brand worldwide. Indasa's offering includes a complete range of accessories for the autobody professionals.

GRIT STANDARDS

Indasa coated abrasives are manufactured using the highest quality raw materials and in compliance with FEPA grit standards.

| $\begin{array}{ c c c c c c c } \hline P16 & 1324 \\ \hline P24 & 764 \\ \hline P30 & 642 \\ \hline P36 & 538 \\ \hline P40 & 425 \\ \hline P50 & 336 \\ \hline P60 & 269 \\ \hline P80 & 201 \\ \hline P100 & 162 \\ \hline P120 & 125 \\ \hline P120 & 125 \\ \hline P150 & 100 \\ \hline P180 & 82 \\ \hline P220 & 68 \\ \hline P240 & 58.5 \pm 2.0 \\ \hline P280 & 52.2 \pm 2.0 \\ \hline P320 & 46.2 \pm 1.5 \\ \hline P360 & 40.5 \pm 1.5 \\ \hline P400 & 35.0 \pm 1.5 \\ \hline P500 & 30.2 \pm 1.5 \\ \hline P600 & 25.8 \pm 1.0 \\ \hline P800 & 21.8 \pm 1.0 \\ \hline P1000 & 18.3 \pm 1.0 \\ \hline P1200 & 15.3 \pm 1.0 \\ \hline P1500 & 12.6 \pm 1.0 \\ \hline P2000 & 10.3 \pm 0.8 \\ \hline P2500 & 8.4 \pm 0.5 \\ \hline \end{array}$ | FEPA-P Grit | (micra) |
|--|-------------|-----------|
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P16 | 1324 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P24 | 764 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P30 | 642 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P36 | 538 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P40 | 425 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P50 | 336 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P60 | 269 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P80 | 201 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P100 | 162 |
| P180 82 P220 68 P240 58.5 ±2.0 P280 52.2 ±2.0 P320 46.2 ±1.5 P360 40.5 ±1.5 P400 35.0 ±1.5 P500 30.2 ±1.5 P600 25.8 ±1.0 P800 21.8 ±1.0 P1200 15.3 ±1.0 P1500 12.6 ±1.0 P2000 10.3 ±0.8 | P120 | 125 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P150 | 100 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P180 | 82 |
| $\begin{array}{ c c c c c c c c c c c c c c c c c c c$ | P220 | 68 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | P240 | 58.5 ±2.0 |
| $\begin{array}{c cccc} P360 & 40.5 \pm 1.5 \\ P400 & 35.0 \pm 1.5 \\ P500 & 30.2 \pm 1.5 \\ P600 & 25.8 \pm 1.0 \\ P800 & 21.8 \pm 1.0 \\ P1000 & 18.3 \pm 1.0 \\ P1200 & 15.3 \pm 1.0 \\ P1500 & 12.6 \pm 1.0 \\ P2000 & 10.3 \pm 0.8 \\ \end{array}$ | P280 | 52.2 ±2.0 |
| $\begin{array}{ c c c c c c c c c c c c c c c c c c c$ | P320 | 46.2 ±1.5 |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | P360 | 40.5 ±1.5 |
| $\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$ | P400 | 35.0 ±1.5 |
| $\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$ | P500 | 30.2 ±1.5 |
| P1000 18.3 ±1.0 P1200 15.3 ±1.0 P1500 12.6 ±1.0 P2000 10.3 ±0.8 | P600 | 25.8 ±1.0 |
| P1200 15.3 ±1.0 P1500 12.6 ±1.0 P2000 10.3 ±0.8 | P800 | 21.8 ±1.0 |
| P1500 12.6 ±1.0 P2000 10.3 ±0.8 | P1000 | 18.3 ±1.0 |
| P2000 10.3 ±0.8 | P1200 | 15.3 ±1.0 |
| | P1500 | 12.6 ±1.0 |
| P2500 8.4 ±0.5 | P2000 | 10.3 ±0.8 |
| | P2500 | 8.4 ±0.5 |

Average diameter

¹ Cotton ² Polyester



Ensure that the working area is clean and tidy. Wear protective ear and eye equipment. Wear suitable respiratory equipment when working with hazardous materials. Wear protective gloves. Follow the correct procedures for handling and storage. Make sure that the abrasive selected is suitable for its intended use. Avoid clogging to ensure the abrasive works efficiently. Let the abrasive stop naturally. not by applying pressure to its surface.

As the majority of coated abrasive backings are hygroscopic, they cause different superficial tensions with the resin layer. This phenomenon might cause positive (convex) or negative (concave) flexing. In order to maintain the abrasives in their natural form (straight), it is recommended that they be stored at a temperature between 64-70 F and a relative humidity of 55-60%.









WEAR EYE PROTECTION



WEAR A RESPIRATOR



WEAR GLOVES



PROTECTION



ONLY PERMITTED WITH A BACK-UP PAD



NOT PERMITTED FOR HAND-HELD MACHINES



NOT PERMITTED FOR WET GRINDING



NOT PERMITTED FOR FACE GRINDING







DISCS



DISCS

RHYNOGRIP HT LINE ULTRAVENT

Advanced dust extraction \rightarrow Cleaner working environment Increased efficiency \rightarrow Maximises productivity High flexibility \rightarrow Adaptable to curves & contoured surfaces High initial cutting action \rightarrow Rapid stock removal Uniformity of scratch pattern \rightarrow Optimum substrate preparation High strength resin bond \rightarrow Minimal grit shedding







| | | 150mm | | |
|--------|-------|---------------|----------------|------------------|
| PART # | GRIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX |
| C56333 | P80 | 50 | 10 | 24.13 |
| C56331 | P120 | 50 | 10 | 24.13 |
| C56330 | P150 | 50 | 20 | 23.03 |
| C56329 | P180 | 50 | 20 | 23.03 |
| C56207 | P240 | 50 | 20 | 23.03 |
| C56209 | P320 | 50 | 20 | 23.03 |
| C56211 | P400 | 50 | 20 | 23.03 |
| C56212 | P500 | 50 | 20 | 23.03 |
| C56213 | P600 | 50 | 20 | 23.03 |
| C56214 | P800 | 50 | 20 | 23.03 |
| C56215 | P1000 | 50 | 20 | 23.03 |
| C55369 | P1200 | 50 | 20 | 23.03 |
| C55370 | P1500 | 50 | 20 | 23.03 |
| C55371 | P2000 | 50 | 20 | 23.03 |
| | | | | |



21 Holes 57 Holes



Advanced dust free solution

Indasa has developed a unique and highly advanced dust free sanding solution with the scope to transform the future of machine sanding.



Surface preparation is one of the most labour intensive and time consuming phases of the painting process.



ULTRAVENT adds value by saving time and providing a cleaner working environment.





RHYNOGRIP HT LINE



High flexibility → Adaptable to curves & contoured surfaces High initial cutting action → Rapid stock removal Uniformity of scratch pattern → Optimum substrate preparation High strength resin bond → Minimal grit shedding Advanced technology clog resistant coating → Extended working performance

P 3




| | | 75mm | | |
|--------|-------|---------------|----------------|------------------|
| Part # | GRIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX |
| C55952 | P40 | 50 | 10 | 13.19 |
| C55953 | P60 | 50 | 10 | 13.19 |
| C55954 | P80 | 50 | 10 | 11.79 |
| C55956 | P120 | 50 | 10 | 11.79 |
| C55958 | P180 | 50 | 20 | 11.79 |
| C55960 | P240 | 50 | 20 | 11.79 |
| C55962 | P320 | 50 | 20 | 11.79 |
| C55964 | P400 | 50 | 20 | 11.79 |
| C55965 | P500 | 50 | 20 | 11.79 |
| C55966 | P600 | 50 | 20 | 11.79 |
| C55967 | P800 | 50 | 20 | 11.79 |
| C55968 | P1000 | 50 | 20 | 11.79 |
| C55969 | P1200 | 50 | 20 | 11.79 |
| C55970 | P1500 | 50 | 20 | 11.79 |
| C55971 | P2000 | 50 | 20 | 11.79 |
| | | | | |



| | 7 | '5mm 3H | 1 | |
|--------|-------|---------------|----------------|------------------|
| PART # | GRIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX |
| C55972 | P40 | 50 | 10 | 13.19 |
| C55973 | P60 | 50 | 10 | 13.19 |
| C55974 | P80 | 50 | 10 | 11.79 |
| C55976 | P120 | 50 | 10 | 11.79 |
| C55978 | P180 | 50 | 20 | 11.79 |
| C55980 | P240 | 50 | 20 | 11.79 |
| C55982 | P320 | 50 | 20 | 11.79 |
| C55984 | P400 | 50 | 20 | 11.79 |
| C55985 | P500 | 50 | 20 | 11.79 |
| C55986 | P600 | 50 | 20 | 11.79 |
| C55987 | P800 | 50 | 20 | 11.79 |
| C55988 | P1000 | 50 | 20 | 11.79 |
| C55989 | P1200 | 50 | 20 | 11.79 |
| C55990 | P1500 | 50 | 20 | 11.79 |
| C55991 | P2000 | 50 | 20 | 11.79 |







RHYNOGRIP

DISCS


RHYNOGRIP FILM LINE ULTRAVENT



Advanced dust extraction → Cleaner working environment Increased efficiency → Maximises productivity Flexible film backing → Crease & tear resistant Uniformity of scratch pattern → Optimum substrate preparation High strength resin bond → Minimal grit shedding Advanced technology clog resistant coating → Extended working performance



| | 15 | 0mm 57 | 7H | |
|--------|-------|---------------|----------------|------------------|
| PART # | GRIT | QTY P/ Box | QTY P/ CASE | PRICE PER BOX |
| C56853 | P600 | 50 | 5 | 37.71 |
| C56296 | P800 | 50 | 5 | 37.71 |
| C56297 | P1000 | 50 | 5 | 37.71 |
| C56298 | P1200 | 50 | 5 | 37.71 |
| C56299 | P1500 | 50 | 5 | 37.71 |
| | | | | |





RHYNOGRIP FILM LINE

Flexible film backing → Crease & tear resistant Uniformity of scratch pattern → Optimum substrate preparation High strength resin bond → Minimal grit shedding Advanced technology clog resistant coating → Extended working performance





| | | 75mm | | |
|--------|-------|---------------|----------------|------------------|
| Part # | GRIT | QTY P/ Box | QTY P/ Case | PRICE PER BOX |
| C39040 | P600 | 50 | 5 | 19.68 |
| C39041 | P800 | 50 | 5 | 19.68 |
| C48616 | P1000 | 50 | 5 | 19.68 |
| C39042 | P1200 | 50 | 5 | 19.68 |
| C38562 | P1500 | 50 | 5 | 19.68 |

75mm 3H QTY P/ B0X

50

50

50

50

50

P600

P800

P1000

P1200

P1500

C42696

C42697

C49067

C42618

C42619

QTY / CAS

5

5

5

5

5

PRICE


19.68

19.68

19.68

19.68

19.68







| | 15 | 0mm 15 | 5H | | |
|--------|-------|---------------|----------------|------------------|--|
| PART # | | QTY P/ Box | QTY P/ CASE | PRICE PER BOX | |
| C40758 | P600 | 50 | 5 | 37.71 | |
| C40565 | P800 | 50 | 5 | 37.71 | |
| C48620 | P1000 | 50 | 5 | 37.71 | |
| C40566 | P1200 | 50 | 5 | 37.71 | |
| C40567 | P1500 | 50 | 5 | 37.71 | |



ABRASIVES

DISCS

Ο

INDASA RHYNOCELL YOU CAN SEE IT IN THE FINISH



Fully integrated 1 → 2 system 4 ← 3

Faster polishing time using less material



J

Dry use for a cleaner and faster process



Microcell construction for a longer working life



Excellent tear resistance and shape retention





DASA

DING PAD

INNOVATIVE CELL TECHNOLOGY by INDASA

www.indasa-abrasives.com

RHYNOCELL




Fully integrated surface finishing system → Continuity of process

Significant reduction of P1500 sanding scratches \rightarrow Faster polishing time and less material usage Dry use \rightarrow Cleaner, faster and easier







INNOVATIVE CELL TECHNOLOGY by INDASA

RHYNOFINISH

RHYNOFINISH



Flexible foam backing with nylon grip backing system Ideal for paint rectification and pre-polish applications Uniformity of grit eliminates rogue scratches



150mm

QTY P/ BOX

10

PRICE

31.84



| | 15 | 0mm | | |
|--------|------------|---------------|----------------|------------------|
| PART # | | QTY P/ BOX | QTY P/ Case | PRICE Per Box |
| C42363 | Super Fine | 20 | 5 | 39.73 |
| C42364 | Micro Fine | 20 | 5 | 39.73 |


DISCS

Ο

RHYNOGRIP RED LINE




High flexibility \rightarrow Adaptable to curves & contoured surfaces **High initial cutting action** \rightarrow Rapid stock removal **Uniformity of scratch pattern** \rightarrow Optimum substrate preparation **High strength resin bond** \rightarrow Minimal grit shedding **Clog resistant coating** \rightarrow Long lasting sanding





 \bigcirc



| PART # | GRIT | QTY P/ Box | QTY P/ CASE | PRICE PER BOX | | | | | | | | | |
|--------|-------|---------------|----------------|------------------|--|--|--|--|--|--|--|--|--|
| C39243 | P40 | 50 | 10 | 27.62 | | | | | | | | | |
| C39244 | P60 | 50 | 10 | 27.62 | | | | | | | | | |
| C39166 | P80 | 50 | 10 | 23.64 | | | | | | | | | |
| C39245 | P100 | 50 | 10 | 23.64 | | | | | | | | | |
| C39164 | P120 | 50 | 10 | 23.64 | | | | | | | | | |
| C39246 | P150 | 50 | 20 | 22.56 | | | | | | | | | |
| C39247 | P180 | 50 | 20 | 22.56 | | | | | | | | | |
| C39249 | P240 | 50 | 20 | 22.56 | | | | | | | | | |
| C39167 | P320 | 50 | 20 | 22.56 | | | | | | | | | |
| C39168 | P400 | 50 | 20 | 22.56 | | | | | | | | | |
| C38667 | P500 | 50 | 20 | 22.56 | | | | | | | | | |
| C38668 | P600 | 50 | 20 | 22.56 | | | | | | | | | |
| C38669 | P800 | 50 | 20 | 22.56 | | | | | | | | | |
| C38670 | P1000 | 50 | 20 | 22.56 | | | | | | | | | |
| C38671 | P1200 | 50 | 20 | 22.56 | | | | | | | | | |
| C38672 | P1500 | 50 | 20 | 22.56 | | | | | | | | | |
| C38673 | P2000 | 50 | 20 | 22.56 | | | | | | | | | |
| | | | | | | | | | | | | | |

150mm 15H

RHYNOGRIP PLUS LINE ULTRAVENT



Advanced dust extraction \rightarrow Cleaner working environment Increased efficiency \rightarrow Maximises productivity High flexibility \rightarrow Adaptable to curves & contoured surfaces Uniformity of scratch pattern \rightarrow Optimum substrate preparation Clog resistant coating \rightarrow Long lasting sanding





| | 150 | mm 21/ | 57H | |
|--------|------|---------------|----------------|------------------|
| PART # | GRIT | QTY P/ Box | QTY P/ CASE | PRICE PER BOX |
| C56844 | P80 | 50 | 10 | 21.60 |
| C56845 | P100 | 50 | 10 | 21.60 |
| C56846 | P120 | 50 | 10 | 21.60 |
| C56847 | P150 | 50 | 20 | 21.60 |
| C56848 | P180 | 50 | 20 | 21.60 |
| C55360 | P240 | 50 | 20 | 21.60 |
| C55362 | P320 | 50 | 20 | 21.60 |
| C55364 | P400 | 50 | 20 | 21.60 |
| C55365 | P500 | 50 | 20 | 21.60 |
| | | | | |



21 Holes 57 Holes

RHYNOGRIP PLUS LINE

AUTOMOTIVE AUTOMOTIVE COMPOSITES WOOD VOOD BUILDING & DECORATION



High flexibility \rightarrow Adaptable to curves & contoured surfaces **Uniformity of scratch pattern** \rightarrow Optimum substrate preparation **Clog resistant coating** \rightarrow Long lasting sanding

| | | 75mm | | |
|--------|------|---------------|----------------|------------------|
| PART # | GRIT | QTY P/ Box | QTY P/ Case | PRICE PER BOX |
| C37394 | P40 | 50 | 10 | 12.94 |
| C37395 | P60 | 50 | 10 | 12.94 |
| C37380 | P80 | 50 | 10 | 11.28 |
| C37414 | P120 | 50 | 10 | 11.28 |
| C37415 | P150 | 50 | 20 | 11.28 |
| C37381 | P180 | 50 | 20 | 11.28 |
| C37383 | P240 | 50 | 20 | 11.28 |
| C37385 | P320 | 50 | 20 | 11.28 |
| C37387 | P400 | 50 | 20 | 11.28 |
| C37388 | P500 | 50 | 20 | 11.28 |



DISCS

Ο



| RICE R Box |
|---------------|
| 2.94 |
| 2.94 |
| .28 |
| .28 |
| .28 |
| .28 |
| .28 |
| .28 |
| .28 |
| .28 |
|).84 |
| |



| | | 125mm | | |
|--------|------|---------------|----------------|------------------|
| PART # | GRIT | QTY P/ Box | QTY P/ CASE | PRICE PER BOX |
| C32266 | P40 | 50 | 10 | 21.64 |
| C32267 | P60 | 50 | 10 | 21.64 |
| C32268 | P80 | 50 | 10 | 19.97 |
| C29965 | P120 | 50 | 10 | 19.97 |
| C30171 | P150 | 50 | 20 | 19.97 |
| C32265 | P180 | 50 | 20 | 19.97 |
| C32488 | P240 | 50 | 20 | 19.97 |
| C30343 | P320 | 50 | 20 | 19.97 |
| C28374 | P400 | 50 | 20 | 19.97 |
| C28375 | P500 | 50 | 20 | 19.97 |






| 125mm 8H | | | | | |
|----------|------|---------------|----------------|------------------|--|
| PART # | GRIT | QTY P/ Box | QTY P/ Case | PRICE PER BOX | |
| C22206 | P40 | 50 | 10 | 21.64 | |
| C22207 | P60 | 50 | 10 | 21.64 | |
| C22208 | P80 | 50 | 10 | 19.97 | |
| C22209 | P100 | 50 | 10 | 19.97 | |
| C22210 | P120 | 50 | 10 | 19.97 | |
| C22211 | P150 | 50 | 20 | 19.97 | |
| C22212 | P180 | 50 | 20 | 19.97 | |
| C22214 | P240 | 50 | 20 | 19.97 | |
| C22216 | P320 | 50 | 20 | 19.97 | |
| C22193 | P400 | 50 | 20 | 19.97 | |
| C23328 | P500 | 50 | 20 | 19.97 | |

| INDASA 2019 CATALOGUE | 19 |
|-----------------------|----|

RHYNOGRIP PLUS LINE



BUILDING & DECORATION







| | | 150mm | | |
|--------|------|---------------|----------------|------------------|
| PART # | GRIT | QTY P/ Box | QTY P/ Case | PRICE PER BOX |
| C22259 | P40 | 50 | 10 | 25.39 |
| C22258 | P60 | 50 | 10 | 25.39 |
| C22260 | P80 | 50 | 10 | 21.60 |
| C22261 | P100 | 50 | 10 | 21.60 |
| C22262 | P120 | 50 | 10 | 21.60 |
| C22217 | P150 | 50 | 20 | 21.60 |
| C22218 | P180 | 50 | 20 | 21.60 |
| C22220 | P240 | 50 | 20 | 21.60 |
| C22222 | P320 | 50 | 20 | 21.60 |
| C22224 | P400 | 50 | 20 | 21.60 |
| C22225 | P500 | 50 | 20 | 21.60 |



| 150mm 7H | | | | | |
|----------|------|---------------|----------------|------------------|--|
| PART # | GRIT | QTY P/ Box | QTY P/ Case | PRICE PER BOX | |
| C33919 | P40 | 50 | 10 | 25.39 | |
| C33920 | P60 | 50 | 10 | 25.39 | |
| C33921 | P80 | 50 | 10 | 21.60 | |
| C33922 | P100 | 50 | 10 | 21.60 | |
| C33923 | P120 | 50 | 10 | 21.60 | |
| C34131 | P150 | 50 | 20 | 21.60 | |
| C34132 | P180 | 50 | 20 | 21.60 | |
| C34134 | P240 | 50 | 20 | 21.60 | |
| C34136 | P320 | 50 | 20 | 21.60 | |
| C34138 | P400 | 50 | 20 | 21.60 | |
| C34139 | P500 | 50 | 20 | 21.60 | |



| 150mm 9H | | | | | |
|----------|------|---------------|----------------|------------------|--|
| PART # | GRIT | QTY P/ BOX | QTY P/ Case | PRICE PER BOX | |
| C22226 | P40 | 50 | 10 | 25.39 | |
| C22228 | P80 | 50 | 10 | 21.60 | |
| C22232 | P180 | 50 | 20 | 21.60 | |
| C22234 | P240 | 50 | 20 | 21.60 | |
| C22236 | P320 | 50 | 20 | 21.60 | |
| C22239 | P500 | 50 | 20 | 21.60 | |

RHYNOGRIP WHITE LINE



High initial cutting action → Rapid stock removal Clog resistant coating → Long lasting sanding Durable paper backing → Tear resistant



| 150mm 7H | | | | | | |
|----------|------|---------------|----------------|------------------|--|--|
| Part # | GRIT | QTY P/ BOX | QTY P/ Case | PRICE PER BOX | | |
| C34749 | P40 | 50 | 5 | 22.43 | | |
| C42208 | P60 | 100 | 5 | 44.85 | | |
| C42209 | P80 | 100 | 5 | 38.07 | | |
| C42210 | P100 | 100 | 5 | 38.07 | | |
| C42211 | P120 | 100 | 5 | 38.07 | | |
| C42212 | P150 | 100 | 5 | 38.07 | | |
| C42213 | P180 | 100 | 5 | 38.07 | | |
| C42215 | P240 | 100 | 5 | 38.07 | | |
| C42217 | P320 | 100 | 5 | 38.07 | | |
| C42219 | P400 | 100 | 5 | 38.07 | | |
| C42220 | P500 | 100 | 5 | 38.07 | | |





RHYNOSTICK WHITE LINE



High initial cutting action → Rapid stock removal Clog resistant coating → Long lasting sanding Protective release paper → Maximum adhesion to backing pad

> 150mm QTY P/ B0) QTY / CAS PER BOX C00150 P40 50 10 19.19 C00151 P60 50 10 16.88 C00152 P80 100 10 30.90 C00153 P100 100 10 30.68 100 C00154 P120 10 30.68 C00364 P150 100 10 25.98 C00365 P180 100 10 25.98 C00367 P240 100 10 25.98 C00369 P320 100 10 25.98 C00371 P400 100 10 25.98 C00620 P500 100 10 25.98



| 150mm 6H | | | | | | |
|----------|------|---------------|----------------|------------------|--|--|
| PART # | GRIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX | | |
| C00164 | P40 | 50 | 10 | 19.19 | | |
| C00165 | P60 | 50 | 10 | 16.88 | | |
| C00166 | P80 | 100 | 10 | 30.90 | | |
| C00167 | P100 | 100 | 10 | 30.68 | | |
| C00168 | P120 | 100 | 10 | 30.68 | | |
| C00382 | P150 | 100 | 10 | 25.98 | | |
| C00383 | P180 | 100 | 10 | 25.98 | | |
| C00385 | P240 | 100 | 10 | 25.98 | | |
| C00387 | P320 | 100 | 10 | 25.98 | | |
| C00389 | P400 | 100 | 10 | 25.98 | | |
| C15622 | P500 | 100 | 10 | 25.98 | | |



DISCS

Ο

RHYNOSTICK MFS



Latex backing paper \rightarrow Waterproof & crease resistant Uniformity of scratch pattern \rightarrow Optimum surface preparation 36mm disc size \rightarrow Ideal for SMART repair and rectification





| | | 36mm | | |
|--------|-------|---------------|----------------|------------------|
| PART # | GRIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX |
| 096MFS | P2000 | 100 | 10 | 22.82 |
| 097MFS | P2500 | 100 | 10 | 22.82 |
| | | | | |

RHYNOFIBRE SILVER



OTHER INDUSTRIES Heavy duty vulcanised fibre backing \rightarrow Crease & tear resistant High initial cutting action \rightarrow Rapid stock removal High strength resin bond \rightarrow Eliminates grit shedding



| C27361 | P80 | 25 | 5 | 16.07 | | | | | |
|------------|------|---------------|----------------|------------------|--|--|--|--|--|
| | | | | | | | | | |
| 115 x 23mm | | | | | | | | | |
| PART # | GRIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX | | | | | |
| C27280 | P24 | 25 | 5 | 23.83 | | | | | |
| C26798 | P36 | 25 | 5 | 23.26 | | | | | |
| C27362 | P60 | 25 | 5 | 21.71 | | | | | |
| C27490 | P80 | 25 | 5 | 21.17 | | | | | |





| 127 x 23mm | | | | | | |
|------------|----------------------------|--|--|--|--|--|
| PART # | GRIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX | | |
| C27244 | P24 | 25 | 5 | 25.34 | | |
| C27245 | P36 | 25 | 5 | 24.77 | | |
| C27247 | P60 | 25 | 5 | 23.72 | | |
| C27248 | P80 | 25 | 5 | 23.16 | | |
| | C27244 C27245 C27247 | PART # GRIT C27244 P24 C27245 P36 C27247 P60 | PART # GRIT OTY P/BOX C27244 P24 25 C27245 P36 25 C27247 P60 25 | PART # GRIT QTY P/BOX QTY P/CASE C27244 P24 25 5 C27245 P36 25 5 C27247 P60 25 5 | | |



| 180 x 23mm | | | | | | |
|------------|------|---------------|----------------|------------------|--|--|
| PART # | GRIT | QTY P/ Box | QTY P/ CASE | PRICE Per Box | | |
| C27253 | P24 | 25 | 5 | 40.94 | | |
| C27254 | P36 | 25 | 5 | 39.70 | | |
| C26794 | P60 | 25 | 5 | 37.58 | | |
| C27257 | P80 | 25 | 5 | 37.17 | | |
| | | | | | | |

NYLON WEB





Abrasive impregnated nylon web \rightarrow Consistent scratch

Extremely flexible & conformable \rightarrow Ideal for hard to reach areas

Quicker, stronger & prolonged cut → Ideal for keying paintwork & profile sanding

| 150mm | | | | | | | |
|--------|------------|---------------|----------------|------------------|--|--|--|
| PART # | GRIT | QTY P/ BOX | QTY P/ Case | PRICE PER BOX | | | |
| C57769 | Very Fine | 10 | 8 | 11.86 | | | |
| C57467 | Ultra Fine | 10 | 8 | 11.86 | | | |

QUICKFIX



Quickfix locking system Heavy duty cloth backing with zirconium mineral grain Overlapping flap construction minimises heat build up

NE & DSITES



| 50mm - FLEXIDISC | | | | | | |
|------------------|----------------------------|--|--|--|--|--|
| PART # | | QTY P/ B0X | QTY P/ CASE | PRICE PER BOX | | |
| C97718 | P40 | 10 | 5 | 46.35 | | |
| C97719 | P60 | 10 | 5 | 46.35 | | |
| C97720 | P80 | 10 | 5 | 46.35 | | |
| C97721 | P120 | 10 | 5 | 46.35 | | |
| | C97718 C97719 C97720 | PART # GRIT C97718 P40 C97719 P60 C97720 P80 | PART # GRIT QTY P/BOX C97718 P40 10 C97719 P60 10 C97720 P80 10 | PART # GRIT QTY P/BOX QTY P/CASE C97718 P40 10 5 C97719 P60 10 5 C97720 P80 10 5 | | |



| 50mm - MINIDISC | | | | | | |
|-----------------|------|---------------|----------------|------------------|--|--|
| PART # | | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX | | |
| C97722 | P40 | 10 | 5 | 46.35 | | |
| C97723 | P60 | 10 | 5 | 46.35 | | |
| C97724 | P80 | 10 | 5 | 46.35 | | |
| C97725 | P120 | 10 | 5 | 46.35 | | |



STRIPS

STRIPS


RHYNOGRIP HT LINE



High flexibility \rightarrow Adaptable to curves & contoured surfaces High initial cutting action \rightarrow Rapid stock removal Uniformity of scratch pattern \rightarrow Optimum substrate preparation High strength resin bond \rightarrow Minimal grit shedding

Advanced technology clog resistant coating → Extended working performance

MARINE & COMPOSITES WOOD WOOD





| 70 x 420mm 23H | | | | | | | | |
|----------------|------|---------------|-----------------|------------------|--|--|--|--|
| PART # | GRIT | QTY P/ BOX | QTY PER CASE | PRICE PER BOX | | | | |
| | | | | | | | | |
| C55938 | P40 | 50 | 10 | 54.33 | | | | |
| C55939 | P60 | 50 | 10 | 52.85 | | | | |
| C53305 | P80 | 50 | 10 | 52.11 | | | | |
| C53306 | P120 | 50 | 10 | 47.98 | | | | |
| C53308 | P180 | 50 | 10 | 47.11 | | | | |
| C55941 | P240 | 50 | 10 | 47.11 | | | | |
| C53310 | P320 | 50 | 10 | 47.11 | | | | |
| C55944 | P400 | 50 | 10 | 47.11 | | | | |
| C55945 | P500 | 50 | 10 | 47.11 | | | | |
| | | | | | | | | |



RHYNOGRIP PLUS LINE



High flexibility \rightarrow Adaptable to curves & contoured surfaces **Uniformity of scratch pattern** \rightarrow Optimum substrate preparation **Clog resistant coating** \rightarrow Long lasting sanding



| 70 x 125mm | | | | | | |
|------------|------|---------------|----------------|------------------|--|--|
| PART # | GRIT | QTY P/ Box | QTY P/ Case | PRICE PER BOX | | |
| C21572 | P40 | 50 | 10 | 14.19 | | |
| C21573 | P60 | 50 | 10 | 14.12 | | |
| C21574 | P80 | 50 | 10 | 13.98 | | |
| C21576 | P120 | 50 | 10 | 12.73 | | |
| C21577 | P150 | 50 | 10 | 12.73 | | |
| C21578 | P180 | 50 | 10 | 12.73 | | |
| C21580 | P240 | 50 | 10 | 12.73 | | |
| C21582 | P320 | 50 | 10 | 12.73 | | |
| C21584 | P400 | 50 | 10 | 12.73 | | |
| C21585 | P500 | 50 | 10 | 12.73 | | |
| | | | | | | |



| | 70 x | 127mm | 11H | |
|--------|------|---------------|----------------|------------------|
| PART # | GRIT | QTY P/ Box | QTY P/ Case | PRICE PER BOX |
| C45665 | P40 | 50 | 10 | 14.19 |
| C45666 | P60 | 50 | 10 | 14.12 |
| C45667 | P80 | 50 | 10 | 13.98 |
| C45669 | P120 | 50 | 10 | 12.73 |
| C45670 | P150 | 50 | 10 | 12.73 |
| C45671 | P180 | 50 | 10 | 12.73 |
| C45673 | P240 | 50 | 10 | 12.73 |
| C45675 | P320 | 50 | 10 | 12.73 |
| C45677 | P400 | 50 | 10 | 12.73 |
| C45678 | P500 | 50 | 10 | 12.73 |



| 70 x 198mm 11H | | | | | | | |
|----------------|------|---------------|----------------|------------------|--|--|--|
| PART # | GRIT | QTY P/ Box | QTY P/ CASE | PRICE PER BOX | | | |
| C43425 | P40 | 50 | 10 | 25.92 | | | |
| C43426 | P60 | 50 | 10 | 25.24 | | | |
| C43427 | P80 | 50 | 10 | 24.86 | | | |
| C43429 | P120 | 50 | 10 | 22.88 | | | |
| C43430 | P150 | 50 | 10 | 22.88 | | | |
| C43431 | P180 | 50 | 10 | 22.88 | | | |
| C43432 | P240 | 50 | 10 | 22.88 | | | |
| C43433 | P320 | 50 | 10 | 22.88 | | | |
| C43434 | P400 | 50 | 10 | 22.88 | | | |
| C43435 | P500 | 50 | 10 | 22.88 | | | |



| PART # | GRIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX |
|--------|------|---------------|----------------|------------------|
| C28391 | P40 | 50 | 10 | 49.82 |
| C28392 | P60 | 50 | 10 | 47.36 |
| C28393 | P80 | 50 | 10 | 45.30 |
| C28395 | P120 | 50 | 10 | 43.14 |
| C28397 | P180 | 50 | 10 | 43.14 |
| C28399 | P240 | 50 | 10 | 43.14 |
| C28401 | P320 | 50 | 10 | 43.14 |
| C28403 | P400 | 50 | 10 | 43.14 |
| C28404 | P500 | 50 | 10 | 43.14 |



ABRASIVES

RHYNOGRIP PLUS LINE



High flexibility \rightarrow Adaptable to curves & contoured surfaces Uniformity of scratch pattern \rightarrow Optimum substrate preparation Clog resistant coating \rightarrow Long lasting sanding



PRICE

PER BOX 49.82 47.36

> 45.30 43.14 43.14 43.14

43.14 43.14 43.14 43.14



| | 70 x 420mm 23H | | | | |
|-----------|----------------|------|---------------|----------------|--|
| | PART # | GRIT | QTY P/ Box | QTY P/ CASE | |
| 10 0 0/0/ | C45693 | P40 | 50 | 10 | |
| 2 0/0/ | C45694 | P60 | 50 | 10 | |
| 11 | C45397 | P80 | 50 | 10 | |
| 9 | C45398 | P120 | 50 | 10 | |
| | C45696 | P150 | 50 | 10 | |
| | C45697 | P180 | 50 | 10 | |
| | C45698 | P240 | 50 | 10 | |
| | C45700 | P320 | 50 | 10 | |
| | C45702 | P400 | 50 | 10 | |
| | C45703 | P500 | 50 | 10 | |
| | | | | | |




| 115 x 230mm 22H | | | | | |
|-----------------|------|---------------|----------------|------------------|--|
| PART # | GRIT | QTY P/ Box | QTY P/ Case | PRICE PER BOX | |
| C45704 | P40 | 50 | 10 | 60.72 | |
| C45705 | P60 | 50 | 10 | 60.15 | |
| C45706 | P80 | 50 | 10 | 59.90 | |
| C45708 | P120 | 50 | 10 | 55.45 | |
| C45709 | P150 | 50 | 10 | 55.45 | |
| C45710 | P180 | 50 | 10 | 55.45 | |
| C45712 | P240 | 50 | 10 | 55.45 | |
| C45714 | P320 | 50 | 10 | 55.45 | |
| C45716 | P400 | 50 | 10 | 55.45 | |
| C45717 | P500 | 50 | 10 | 55.45 | |

RHYNOSTICK WHITE LINE



OTHER INDUSTRIES High initial cutting action \rightarrow Rapid stock removal Clog resistant coating \rightarrow Long lasting sanding Protective release paper \rightarrow Maximum adhesion to block





STRIPS

SHEETS

 \square

SHEETS

tde in P

K


TIS

RHYNOWET PLUS LINE

Durable latex backing paper \rightarrow Waterproof sanding Uniformity of scratch pattern \rightarrow Optimum surface preparation High performance silicon carbide grain \rightarrow Micro-finishing



AUTOMOTIVE



| 230 x 280mm | | | | | | |
|-------------|-------|----------------|----------------|-------------------|--|--|
| PART # | GRIT | QTY P/ Pack | QTY P/ CASE | PRICE PER PACK | | |
| C00018 | P60 | 25 | 20 | 29.70 | | |
| C00019 | P80 | 25 | 20 | 26.32 | | |
| C00021 | P120 | 25 | 20 | 19.19 | | |
| C00022 | P150 | 25 | 20 | 18.09 | | |
| C00023 | P180 | 25 | 20 | 14.69 | | |
| C00025 | P240 | 25 | 20 | 14.69 | | |
| C00027 | P320 | 25 | 20 | 14.69 | | |
| C00029 | P400 | 25 | 20 | 14.69 | | |
| C00030 | P500 | 25 | 20 | 14.69 | | |
| C00031 | P600 | 25 | 20 | 14.69 | | |
| C00032 | P800 | 25 | 20 | 14.69 | | |
| C00033 | P1000 | 25 | 20 | 14.69 | | |
| C00034 | P1200 | 25 | 20 | 14.69 | | |



For wet sanding



| | 140 x 230mm | | | | | |
|---|-------------|-------|----------------|----------------|-------------------|--|
| | PART # | GRIT | QTY P/ Pack | QTY P/ CASE | PRICE PER PACK | |
| | C21225 | P1500 | 50 | 10 | 19.20 | |
| | C21226 | P2000 | 50 | 10 | 19.20 | |
| - | C21227 | P2500 | 50 | 10 | 19.20 | |

RHYNOWET WHITE LINE



Durable backing paper \rightarrow Crease & tear resistant Aluminium oxide grain \rightarrow Fast sanding action Clog resistant \rightarrow Longer lasting cut



| | | . 8 |
|---|--|------|
| | | |
| | | |
| | | |
| | | 8. |
| in an | | ee l |

|) x 280n געדץ | | |
|------------------|---|---|
| QTY | 071 | |
| P/ PACK | QTY P/ CASE | Price Per Pack |
| 25 | 20 | 16.78 |
| 25 | 20 | 16.38 |
| 25 | 20 | 12.54 |
| 25 | 20 | 12.43 |
| 25 | 20 | 11.14 |
| 25 | 20 | 11.14 |
| 25 | 20 | 11.14 |
| 25 | 20 | 11.14 |
| 25 | 20 | 11.14 |
| 25 | 20 | 11.14 |
| 25 | 20 | 11.14 |
| 25 | 20 | 11.14 |
| | P/ PACK 25 25 25 25 25 25 25 25 25 25 25 25 25 | P/ PACK P/ CASE 25 20 |






RHYNALOX PLUS LINE



OTHER INDUSTRIES High flexibility \rightarrow Adaptable to curves & contoured surfaces Uniformity of scratch pattern \rightarrow Optimum substrate preparation Clog resistant coating \rightarrow Long lasting sanding



| 230 x 280mm | | | | | |
|-------------|------|----------------|----------------|-------------------|--|
| PART # | GRIT | QTY P/ PACK | QTY P/ CASE | PRICE PER PACK | |
| C22152 | P40 | 50 | 10 | 31.61 | |
| C22153 | P60 | 50 | 10 | 29.58 | |
| C22154 | P80 | 50 | 10 | 26.92 | |
| C22155 | P100 | 50 | 10 | 26.92 | |
| C22156 | P120 | 50 | 10 | 26.92 | |
| C22568 | P150 | 50 | 10 | 26.92 | |
| C22569 | P180 | 50 | 10 | 26.92 | |
| C22571 | P240 | 50 | 10 | 26.92 | |
| C22573 | P320 | 50 | 10 | 26.92 | |
| C22575 | P400 | 50 | 10 | 26.92 | |
| C22576 | P500 | 50 | 10 | 26.92 | |



 \square

RHYNOWOOD



Durable B weight paper \rightarrow Tear resistant Aluminium oxide mineral grain → Fast cutting action Dry sanding/finishing applications → Ideal for woodwork

BUILDING & DECORATION



| 230 x 280mm | | | | | |
|-------------|---|--|--|--|--|
| GRIT | QTY P/ Pack | QTY P/ Case | PRICE Per Pack | | |
| P40 | 50 | 10 | 21.70 | | |
| P60 | 50 | 10 | 20.27 | | |
| P80 | 50 | 10 | 19.59 | | |
| P100 | 50 | 10 | 17.68 | | |
| P120 | 50 | 10 | 17.68 | | |
| P150 | 50 | 10 | 17.68 | | |
| P180 | 50 | 10 | 17.68 | | |
| P240 | 50 | 10 | 17.68 | | |
| P320 | 50 | 10 | 17.68 | | |
| | GRIT P40 P60 P80 P100 P120 P120 P150 P180 P240 | QTY P40 QTY P/PACK P40 50 P60 50 P100 50 P120 50 P150 50 P150 50 P150 50 P150 50 P150 50 P180 50 | QTY P/PACK QTY P/CASE P40 50 10 P60 50 10 P80 50 10 P80 50 10 P100 50 10 P100 50 10 P120 50 10 P150 50 10 P180 50 10 P180 50 10 P180 50 10 | | |



SHEETS

 \square

RHYNOBLUE



Hard wearing cloth backing → Ideal for metal sanding Extremely flexible → Curved & contoured surfaces Aluminium oxide grain → Fast sanding action

| | | | 5 |
|-----|-----|-----|---|
| | | | |
| ō _ | 191 | 113 | |

| 230 x 280mm | | | | | |
|-------------|------|----------------|----------------|-------------------|--|
| PART # | GRIT | QTY P/ Pack | QTY P/ Case | Price Per Pack | |
| C27816 | P40 | 25 | 10 | 26.99 | |
| C27818 | P60 | 25 | 10 | 24.83 | |
| C27819 | P80 | 25 | 10 | 23.52 | |
| C27821 | P120 | 25 | 10 | 22.38 | |



ROLLS

RHYNALOX PLUS LINE



High flexibility \rightarrow Adaptable to curves & contoured surfaces Uniformity of scratch pattern \rightarrow Optimum substrate preparation Clog resistant coating \rightarrow Long lasting sanding







| 115mm x 50m | | | | | |
|-------------|------|-----|-------------------|--|--|
| PART # | GRIT | QTY | PRICE PER ROLL | | |
| C22486 | P40 | 1 | 60.37 | | |
| C22700 | P60 | 1 | 50.94 | | |
| C22487 | P80 | 1 | 50.60 | | |
| C22307 | P100 | 1 | 50.60 | | |
| C22701 | P120 | 1 | 50.60 | | |
| C22498 | P150 | 1 | 50.60 | | |
| C22499 | P180 | 1 | 50.60 | | |
| C22501 | P240 | 1 | 50.60 | | |
| C22503 | P320 | 1 | 50.60 | | |
| C22505 | P400 | 1 | 50.60 | | |
| C22506 | P500 | 1 | 50.60 | | |
| | | | | | |

RHYNALOX PLUS LINE



High flexibility \rightarrow Adaptable to curves & contoured surfaces **Uniformity of scratch pattern** \rightarrow Optimum substrate preparation **Clog resistant coating** \rightarrow Long lasting sanding



| 115mm x 10m | | | | | | |
|-------------|------|-----|-------------------|--|--|--|
| PART # | GRIT | QTY | PRICE PER ROLL | | | |
| C49861 | P40 | 1 | 13.04 | | | |
| C49862 | P60 | 1 | 11.02 | | | |
| C49863 | P80 | 1 | 10.61 | | | |
| C49864 | P100 | 1 | 10.61 | | | |
| C49865 | P120 | 1 | 10.61 | | | |
| C47665 | P150 | 1 | 10.61 | | | |
| C47662 | P180 | 1 | 10.61 | | | |
| C47663 | P240 | 1 | 10.61 | | | |
| C47664 | P320 | 1 | 10.61 | | | |
| C49869 | P400 | 1 | 10.61 | | | |
| C49870 | P500 | 1 | 10.61 | | | |
| | | | | | | |

| 115mm x 5m | | | | | | |
|------------|------|-----|-------------------|--|--|--|
| PART # | GRIT | QTY | PRICE PER ROLL | | | |
| C41639 | P80 | 1 | 6.29 | | | |
| C41640 | P120 | 1 | 6.29 | | | |
| C50086 | P180 | 1 | 6.29 | | | |
| C50088 | P240 | 1 | 6.29 | | | |
| C50090 | P320 | 1 | 6.29 | | | |
| C50092 | P400 | 1 | 6.29 | | | |
| C50093 | P500 | 1 | 6.29 | | | |

RHYNOLITE YELLOW LINE



Durable E & D weight paper \rightarrow Crease & tear resistant **High strength resin bond** \rightarrow Prevents grit shedding **Aluminium oxide mineral grain** \rightarrow Fast cutting action **Excellent clog resistance** \rightarrow Longer working life

100

| | 50m | | |
|--------|------|-----|-------------------|
| PART # | GRIT | QTY | PRICE PER ROLL |
| C32420 | P40 | 1 | 36.62 |
| C32421 | P60 | 1 | 33.37 |
| C32422 | P80 | 1 | 29.14 |
| C32423 | P100 | 1 | 27.52 |
| C32424 | P120 | 1 | 25.94 |
| C32425 | P150 | 1 | 25.30 |
| C32426 | P180 | 1 | 23.31 |
| C32427 | P240 | 1 | 22.34 |

| 115mm x 10m | | | | | |
|-------------|------|-----|-------------------|--|--|
| PART # | GRIT | QTY | PRICE PER ROLL | | |
| C48829 | P40 | 1 | 9.36 | | |
| C48830 | P60 | 1 | 8.53 | | |
| C48831 | P80 | 1 | 7.45 | | |
| C48832 | P100 | 1 | 7.06 | | |
| C48833 | P120 | 1 | 6.64 | | |
| C48834 | P150 | 1 | 6.48 | | |
| C48835 | P180 | 1 | 5.97 | | |
| C48836 | P240 | 1 | 5.74 | | |



ROLLS

RHYNALOX!

SYSTEM

RHYNOLITE YELLOW LINE





Durable E & D weight paper → Crease & tear resistant High strength resin bond → Prevents grit shedding Aluminium oxide mineral grain → Fast cutting action Excellent clog resistance → Longer working life



| 115mm x 5m | | | | | |
|------------|------|-----|-------------------|--|--|
| PART # | GRIT | QTY | PRICE PER ROLL | | |
| C41508 | P40 | 1 | 5.52 | | |
| C40492 | P60 | 1 | 5.03 | | |
| C40184 | P80 | 1 | 4.39 | | |
| C40185 | P100 | 1 | 4.15 | | |
| C39099 | P120 | 1 | 3.90 | | |
| C42705 | P150 | 1 | 3.81 | | |
| C42664 | P180 | 1 | 3.52 | | |
| C42706 | P240 | 1 | 3.37 | | |
| | | | | | |

RHYNOLITE HEAVY LINE



Heavy duty E weight paper → Crease & tear resistant High strength resin bond → Prevents grit shedding Anti-static → Excellent clog resistance







| | 115mm x 50m | | | | |
|--------|-------------|-----|-------------------|--|--|
| PART # | GRIT | QTY | PRICE Per Roll | | |
| C00308 | P40 | 1 | 76.28 | | |
| C00309 | P60 | 1 | 68.71 | | |
| C00310 | P80 | 1 | 65.65 | | |
| C00311 | P100 | 1 | 60.77 | | |
| C00312 | P120 | 1 | 59.71 | | |
| | | | | | |

| 115mm x 10m | | | | | |
|-------------|------|-----|-------------------|--|--|
| PART # | GRIT | QTY | PRICE Per Roll | | |
| C37343 | P40 | 1 | 20.34 | | |
| C37344 | P60 | 1 | 18.49 | | |
| C37345 | P80 | 1 | 17.52 | | |
| C37346 | P100 | 1 | 16.22 | | |
| C30389 | P120 | 1 | 15.92 | | |

SPONGES

GFS &

RHYNOSOFT

AUTOMOTIVE

OTHER INDUSTRIES

High flexibility \rightarrow Adaptable to curves & contoured surfaces Foam backing → Prevents oversanding Tear resistant → Ideal for hand sanding hard to access areas



| 115mm x 25m | | | | | |
|-------------|-------|---------------|----------------|------------------|--|
| Part # | GRIT | QTY P/ Box | QTY P/ CASE | PRICE Per Box | |
| C29368 | P180 | 1 | 1 | 48.40 | |
| C29369 | P240 | 1 | 1 | 48.40 | |
| C29370 | P320 | 1 | 1 | 48.40 | |
| C29371 | P400 | 1 | 1 | 48.40 | |
| C29935 | P500 | 1 | 1 | 48.40 | |
| C29372 | P600 | 1 | 1 | 48.40 | |
| C29373 | P800 | 1 | 1 | 48.40 | |
| C29374 | P1200 | 1 | 1 | 48.40 | |
| | | | | | |

| 115 x 140mm | | | | | |
|---|------|----|------|--|--|
| PART # GRIT QTY PRICE P/ BOX PER BOX | | | | | |
| C29512 | P180 | 20 | 8.65 | | |
| C29513 | P240 | 20 | 8.65 | | |
| C29514 | P320 | 20 | 8.65 | | |





DOUBLE SIDED SPONGE SANDING PADS







General purpose hand sanding applications Extremely flexible \rightarrow For curved & contoured surfaces Highly conformable \rightarrow Ideal for hard to reach areas



| 122 x 98 x 13mm | | | | |
|-----------------|--------|---------------|----------------|------------------|
| PART # | GRIT | QTY P/ Box | QTY P/ Case | PRICE PER BOX |
| CSP-60 | DOO | 10 | 5 | 7.17 |
| CSPBULK-60 | - P60 | 250 | - | 173.90 |
| CSP-80 | - P80 | 10 | 5 | 7.17 |
| CSPBULK-80 | FOU | 250 | - | 173.90 |
| CSP-100 | - P100 | 10 | 5 | 7.17 |
| CSPBULK-100 | - PIUU | 250 | - | 173.90 |
| CSP-120 | - P120 | 10 | 5 | 7.17 |
| CSPBULK-120 | F120 | 250 | - | 173.90 |
| CSP-150 | P150 | 10 | 5 | 7.17 |
| CSP-180 | - P180 | 10 | 5 | 7.17 |
| CSPBULK-180 | F10U | 250 | - | 173.90 |
| CSP-220 | . 0000 | 10 | 5 | 7.17 |
| CSPBULK-220 | P220 | 250 | - | 173.90 |
| CSP-240 | - P240 | 10 | 5 | 7.17 |
| CSPBULK-240 | ۳240 | 250 | - | 173.90 |
| | | | | |

SPONGE SANDING PADS



High flexibility \rightarrow Adaptable to curves & contoured surfaces Sponge backing \rightarrow Prevents oversanding Tear resistant \rightarrow Ideal for hand sanding hard to access areas

> 115 x 140 x 5mm PER BO CSPONGE-M Medium 20 5 21.56 CSPONGE-F 20 5 21.56 Fine Super CSPONGE-SF 20 5 21.56 Fine Micro 20 5 CSPONGE-MF 21.56 Fine







High density foam block \rightarrow Ideal for sanding edges and corners High strength resin bond \rightarrow Minimal grit shedding

100 x 70 x 25mm PER BOX 9/ BO) C46299 P60 33.58 50 1 C46300 P100 50 1 33.58 C46301 P180 50 1 33.58 C46302 P220 50 1 33.58



ABRASIVES

NYLON WEB

AUTOMOTIVE AUTOMOTIVE MARINE & COMPOSITES WOOD WOOD WOOD



Abrasive impregnated nylon web \rightarrow Consistent scratch

| HANDPADS 150 x 230mm | | | | | | |
|----------------------|---------------|------------------|-------|--|--|--|
| PART # | QTY P/ BOX | PRICE PER BOX | | | | |
| C45908 | Medium | 20 | 14.10 | | | |
| C45909 | Very Fine | 20 | 14.10 | | | |
| C45910 | Ultra Fine | 20 | 14.10 | | | |





| | ROLL 115mm x 10m | | | | | | |
|---|------------------|------------|---|-------|--|--|--|
| PART # GRIT QTY PRICE P/ Box Per Box | | | | | | | |
| | C44067 | Medium | 1 | 33.67 | | | |
| | C44064 | Very Fine | 1 | 33.67 | | | |
| | C44065 | Ultra Fine | 1 | 33.67 | | | |
| | | | | | | | |



| DISC 150mm | | | | | |
|---|------------|----|-------|--|--|
| PART # GRIT QTY PRICE P/ Box Per Box | | | | | |
| C57769 | Very Fine | 10 | 11.86 | | |
| C57467 | Ultra Fine | 10 | 11.86 | | |


BELTS

BELTS

RHYNO X/Z



Polyester X weight cloth backing \rightarrow Tear resistant Zirconium mineral grain \rightarrow Self sharpening for longer life Heat resistant resin bond \rightarrow Prevents grit shedding



| 10 x 330mm | | | | | | |
|------------|----------------|------------------|----|-------|--|--|
| PART # | QTY P/ CASE | PRICE PER BOX | | | | |
| C52724 | P40 | 10 | 10 | 11.00 | | |
| C52729 | P60 | 10 | 10 | 10.58 | | |
| C52730 | P80 | 10 | 10 | 10.39 | | |
| C52732 | P120 | 10 | 10 | 10.14 | | |

| 20 x 520mm | | | | | | |
|---|------|----|----|-------|--|--|
| PART # GRIT QTY QTY PRICE P/ BOX P/ CASE PER BOX | | | | | | |
| C52733 | P40 | 10 | 10 | 25.66 | | |
| C52734 | P60 | 10 | 10 | 23.52 | | |
| C52735 | P80 | 10 | 10 | 23.07 | | |
| C52738 | P120 | 10 | 10 | 22.62 | | |

POWER FOR SURFACE FINISHING





INDASA ORBITAL PALM SANDER



AUTOMOTIVE AUTOMOTIVE MARINE & COMPOSITES Robust & versatile orbital palm sander

Ergonomic design \rightarrow For one handed operation

Lightweight composite engineering → Maximises sanding performance

Variable speed regulator \rightarrow Fingertip control Vacuum dust extraction \rightarrow Cleaner working environment

Compatible with Rhynogrip abrasive systems \rightarrow 75mm 3 hole / 150mm 15 hole extraction

| 75 / 150mm | | | | | |
|------------|-----------|-------|---------------|----------------|------------------|
| PART # | DIMENSION | ORBIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BO) |
| 426722 | 75mm | 2.5mm | 1 | 1 | 197.25 |
| 435748 | 150mm | 5mm | 1 | 1 | 204.45 |
| | | | | | |





STORM GEAR DRIVEN SANDER



Epicycloidal orbit → Rapid stock removal Two handed operation → For operator comfort Variable speed regulator → Fingertip control 6 hole vacuum dust extraction → Cleaner working environment

Compatible with Rhynogrip abrasive systems

| 150mm | | | | | |
|--------|---------------|----------------|------------------|--|--|
| PART # | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX | | |
| 2HG-C6 | 1 | 1 | 269.98 | | |



STORM RANDOM ORBIT SANDER



Ergonomic design \rightarrow For two handed operation **Lightweight composite body** \rightarrow Minimises vibration **Variable speed regulator** \rightarrow Fingertip control **7 hole vacuum dust extraction** \rightarrow Cleaner working environment **Compatible with Rhynogrip abrasive systems**

| | | 150mm | | | J |
|--------|-------|---------------|----------------|------------------|---|
| PART # | ORBIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX | |
| 2HS-C6 | 5mm | 1 | 1 | 204.38 | |



TEX ORBITAL PALM SANDER

ALTOMOTIVE ALTOMOTIVE COMPOSITES WOOD WOOD OTHER IDDUSTRIES



High performance orbital sander \rightarrow Optimised sanding efficiency

7 hole vacuum dust extraction → Cleaner working environment

Ergonomic design \rightarrow For one handed operation **Lightweight composite body** \rightarrow Minimises vibration

Compatible with Rhynogrip abrasive systems

Variable speed regulator → Fingertip control

| | 150mm | | | | | |
|----------|-------|---------------|----------------|------------------|--|--|
| PART # | ORBIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX | | |
| NCNA-130 | 5mm | 1 | 1 | 184.78 | | |

TEX HI SPEED SANDER



Lightweight & compact design \rightarrow For hard to reach areas Compatible with Quickfix discs \rightarrow Metal grinding & blending Supplied with 50mm Quickfix backing pad



TEX DUAL ACTION SANDER

Robust dual action sander Roller release throttle mechanism





| | 1 | 50mm | | |
|---------|-------|---------------|----------------|------------------|
| PART # | ORBIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX |
| NCNA-39 | 10mm | 1 | 1 | 64.37 |

INDASA ELECTRIC SANDER





| Fully compatible with Rhynogrip abrasive system \rightarrow 15 hole extraction |
|--|
| Variable speed regulator → Optimum working speed |
| Brushless motor → Low maintenance and down time |
| E-series technology → Portable throughout the workplace |
| Ergonomic design \rightarrow One handed operation and ease of use |
| Low noise and vibration → Improved operator comfort |

| | 1 | 50mm | | |
|--------|--------|------------------------------|---------------------------------------|--|
| Part # | ORBIT | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX |
| 579138 | 2.5mm | 1 | 1 | 441.00 |
| 579145 | 5mm | 1 | 1 | 441.00 |
| | 579138 | PART # ORBIT 579138 2.5mm | PART # ORBIT P/ BOX 579138 2.5mm 1 | PART # ORBIT QTY P/BOX QTY P/CASE 579138 2.5mm 1 1 |

INDASA ELECTRIC POLISHER



Advanced composite materials \rightarrow Optimum operator comfort Ergonomic design \rightarrow Improved polishing efficiency Variable speed regulator \rightarrow Optimum working speed Double gear reduction \rightarrow Optimised power delivery







| PART # | QTY | QTY | PRICE |
|--------|--------|---------|---------|
| | P/ BOX | P/ CASE | PER BOX |
| 558829 | 1 | 1 | 328.55 |

TEX MINI POLISHER



Ideal for SMART repair systems Pistol grip \rightarrow With roller release throttle Variable speed regulator \rightarrow Fingertip control Compatible with Autogloss mop system

| PART # | P/ B0 |
|----------|-------|
| NCNA-126 | 1 |
| | |
| | |

TEX BELT SANDER



Lightweight & compact design → Ideal for hard to access areas 360° adjustment on sanding arm Quick release belt change mechanism Compatible with Rhyno X/Z belts

| PART # | DIMENSION | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX |
|----------|------------|---------------|----------------|------------------|
| NCNA-79 | 10 x 330mm | 1 | 1 | 111.50 |
| NCNA-115 | 20 x 520mm | 1 | 1 | 237.37 |
| | | | | |

QTY / Cas

1

PER BO

236.99



MOBILE VACUUM UNIT



AUTOMOTIVE Ð MARINE & COMPOSITES \odot WOOD






delivering a cleaner working environment

| VACUUM UNIT 30 LITRE (Part # 581308) | | |
|--------------------------------------|------------------------|--|
| TECHNICAL DATA | | |
| Power | 1200 W | |
| Air flow rate | 165 m3/h EN60335-2-69 | |
| Weight | 10.2kg | |
| Noise level | 70dB(A) EN 60704-3 | |
| Filter surface area | 1m² | |
| Container capacity | 30 litre | |
| Dimensions (cm) | H x 43 W x 42.5 D x 51 | |
| | | |

Powerful dust extraction on demand → Maximising the efficiency of your Rhynogrip sanding system and

| Accessories supplied | | |
|------------------------|--------|--|
| ITEM | PART # | |
| Antistatic Hose (4m) | 581797 | |
| Fleece Dust Bags (5pk) | 558799 | |
| Rotating Connector | 581735 | |
| Hose Adaptor | 567654 | |











| VACUUM UNIT 45 L | VACUUM UNIT 45 LITRE (Part # 558775) | | |
|---------------------|--------------------------------------|--|--|
| TECHNICAL DATA | | | |
| Power | 1200 W | | |
| Power output | 2400 W | | |
| Weight | 13.5kg | | |
| Air flow rate | 165m²/h EN 60335-2-69 | | |
| Feed pressure | 6 bar | | |
| Noise level | 67dB(A) EN 60704-3 | | |
| Filter surface area | 1m ² | | |
| Container capacity | 45 litre | | |
| Dimensions (cm) | H x 63.5 W x 45 D x 45 | | |









(A)



| VACUUM UNITS & ACCESSORIES | | | | |
|----------------------------|-----------------------|-------------|-------------------|--|
| PART # | DESCRIPTION | PACK QTY | PRICE Per Pack | |
| 558775 | Vacuum Unit 45 litre | 1 | 716.63 | |
| 558799 | Vacuum Dust Bags | 5 | 51.26 | |
| 558805 | Hose Assembly | 1 | 130.02 | |
| 567661 | Hose Gauge Adaptor | 1 | 15.90 | |
| 567654 | Threaded Hose Adaptor | 1 | 8.98 | |
| 558782 | Two Way Hose Union | 1 | 25.64 | |
| 581308 | Vacuum Unit 30 litre | 1 | 519.75 | |
| 581735 | Rotating Connector | 1 | 38.52 | |

MBX SYSTEM



Effective removal of rust, underbody coatings, old paint, bonded sealants and tapes Produces a clean surface finish for painting Brush belt size 11mm or 23mm Hardened steel bristles → Easily resharpened Colour coded brush belts → 3 grades (1 of each supplied with tool) Eraser wheel for adhesive/tape removal Free speed: 3500rpm Also available with electric motor (110v or 220v) Low vibration and noise Free speed: 3200rpm

| PART # | DESCRIPTION |
|----------|-----------------|
| NCNA-145 | Pneumatic |
| NCNA-143 | Electric (110v) |
| NCNA-140 | Electric (220v) |
| | |

BRUSH BELTS FOR MBX SYSTEM





| 11 / 23mm BRUSH BELTS | | | | |
|-----------------------|-------------------|----------------|-------------------|--|
| PART # | DIMENSION | QTY P/ Pack | PRICE Per Pack | |
| DCA-54 | 23mm Fine | 10 | 195.03 | |
| DCA-55 | 23mm Medium | 10 | 195.03 | |
| DCA-56 | 23mm Coarse | 10 | 195.03 | |
| DCA-59 | 23mm S/Steel | 1 | 253.10 | |
| DCA-94 | 11mm Fine | 10 | 177.93 | |
| DCA-95 | 11mm Medium | 10 | 177.93 | |
| DCA-96 | 11mm Coarse | 10 | 177.93 | |
| DCA-97 | 11mm S/Steel | 10 | 195.03 | |
| DCA-99 | 11mm S/Steel Knee | 10 | 195.03 | |

PACK QTY

1

1

1

PRICE Per Paci

467.39

467.39

467.39

MBX DIE BLASTER



Designed for use in extremely hard to reach areas Patented accelerator bar maximises the bristle speed 11mm belt width \rightarrow Coarse grade Left & right sided belts for narrow channel access Free speed: 2600rpm

| PART # | ТҮРЕ | QTY P/ PACK | PRICE Per Pack |
|----------|--------------------------------|----------------|-------------------|
| NCNA-146 | Die Blaster c/w 5 belts | 1 | 467.39 |
| DCA-111 | Die Blaster belts 11mm | 5 | 214.06 |
| DCA-112 | Die Blaster belts 11mm - right | 5 | 149.81 |
| DCA-113 | Die Blaster belts 11mm - left | 5 | 149.81 |



BELT HOUSING FOR MBX SYSTEM

| | | PART # | DIMENSION | QTY P/ Pack | PRICE Per Pack |
|------------------------|-------|--------|-----------|----------------|-------------------|
| AUTOMOTIVE | | DCA-98 | 11mm | 1 | 18.57 |
| AUTOMOTIVE | 69 00 | DCA-58 | 23mm | 1 | 18.57 |
| | 0 0 0 | | | | |
| MARINE & COMPOSITES | | | | | |

ERASER WHEEL FOR MBX SYSTEM



BUILDING & DECORATION

TEX WAX INJECTION KIT



Pressure feed applicator gun for underbody wax Supplied with probe for cavity injection Cup capacity 1400cc





TEX MINI SANDER




Variable speed regulator 32 and 75mm grip backing pad Free speed: 16000rpm

| PART # | DIMENSION | QTY | PRICE |
|----------|-----------|-----|--------|
| NCNA-113 | 32mm | 1 | 194.12 |
| NCNA-135 | 75mm | 1 | 167.93 |





ANCILLIARIES INNOVATIVE PRODUCTS FOR SMARTER WORKING





RHYNOGRIP BACKING PAD ULTRAVENT







Ultravent dust extraction system → Optimises extraction capacity

Eliminates abrasive clogging → Extends peak sanding efficiency

Cleaner working environment → Keeps contaminants out of repair process

Innovative design → Utilises high flow vent channels

| 150mm ULTRAVENT | | | | |
|-----------------|-----|-------|--|--|
| PART # | QTY | PRICE | | |
| 561836 | 1 | 41.65 | | |


RHYNOGRIP BACKING PAD



BUILDING & DECORATION


15 hole dust extraction → Cleaner working environment Compatible with Rhynogrip abrasive systems Medium foam density → Lightweight & balanced for smooth operation Packing and 252609 → Supplied with a weivergal adaptor

Backing pad 353608 → Supplied with a universal adaptor



| 150mm 15H | | | | |
|-----------|-----|-------|--|--|
| Part # | QTY | PRICE | | |
| 454657 | 1 | 38.43 | | |
| 353608 | 1 | 41.65 | | |
| | | | | |

RHYNOSTICK BACKING PAD



Medium foam density \rightarrow Lightweight & balanced for smooth operation Heat bonded stud assembly \rightarrow Secure fixing

| | 150mm | | |
|-------|-------|-----------|--------|
| PRICE | QTY | DIMENSION | Part # |
| 38.53 | 1 | 150mm | 36103 |
| 38.53 | 1 | 150mm 6H | 436110 |



AUTOMOTIVE

MARINE & COMPOSITES

 $\overline{\mathbf{O}}$



TEX SELF STICK BACKING PAD



5/16" thread size Heat bonded stud assembly → Secure fixing



TEX GRIP BACKING PAD



Nylon grip backing system → Quick & easy to fit

| 75 / 125 / 150mm | | | | |
|------------------|------------------------------|---|---|--|
| PART # | DIMENSION | QTY | PRICE | |
| ACC-3715 | 75mm | 1 | 21.35 | |
| GCA-46 | 125mm 8H | 1 | 40.24 | |
| GCA-50 | 150mm 15H | 1 | 46.00 | |
| GCTA-04 | 150mm | 1 | 22.32 | |
| | ACC-3715 GCA-46 GCA-50 | PART # DIMENSION ACC-3715 75mm GCA-46 125mm 8H GCA-50 150mm 15H | PART # DIMENSION QTY ACC-3715 75mm 1 GCA-46 125mm 8H 1 GCA-50 150mm 15H 1 | |




QUICKFIX BACKING PAD



AUTOGLOSS BACKING PAD



Nylon grip backing system \rightarrow Quick & easy to fit 120mm backing pad \rightarrow Allows a soft edge on the foam pad





SOFTFORM ADAPTOR PAD



Compatible with Rhynogrip abrasive systems

| 31.75 / 75 / 150mm | | | | |
|--------------------|-------------|------------------------|-----|-------|
| PART # | DESCRIPTION | DIMENSION | QTY | PRICE |
| GCA-64 | Cushion Pad | 31.75mm | 1 | 4.31 |
| 433669 | | 75mm 3H | 1 | 6.10 |
| 575833 | Softform | 150mm x 5mm Ultravent | 1 | 8.42 |
| 561843 | Adaptor Pad | 150mm x 10mm Ultravent | 1 | 8.42 |
| GCA-32 | - | 150mm x 10mm 15H | 1 | 8.42 |









| PART # | QTY | PRICE |
|--------|-----|-------|
| DCA-8B | 1 | 80.15 |

RHYNOGRIP BLOCK



Durable composite body → Hard wearing Rigid baseplate → Optimises sanding efficiency Vacuum dust extraction → Cleaner working environment Ergonomic design → Operator comfort Tailpiece regulator → Variable extraction control



| PART # | DIMENSION | HOLES LAYOUT | QTY | PRICE |
|--------|-----------------|--------------|-----|-------|
| 449257 | 70 x 125mm 11H | | 1 | 53.12 |
| 435175 | 70 x 198mm 11H | | 1 | 56.19 |
| 449271 | 70 x 400mm 23H | | 1 | 64.90 |
| 449288 | 115 x 230mm 22H | | 1 | 57.82 |

HAND SANDING BLOCKS



| Ergonomic design → Operator comfort | | | |
|-------------------------------------|--------|---------|-------|
| | | 36mm | |
| | PART # | QTY | PRICE |
| | GCA-98 | 1 | 9.31 |
| | | | |
| | 70 | x 127mı | n |
| | PART # | QTY | PRICE |
| | DCA-04 | 1 | 16.82 |
| | | | |
| | 70 | x 400mi | n |
| - | PART # | QTY | PRICE |
| | 435182 | 1 | 42.66 |
| S. Contraction | | | |

CONTOUR BASE



Rhynogrip block profile for sanding contours Compatible with Rhynogrip abrasive strips & blocks

| PART # | DIMENSION | QTY | PRICE |
|---------|----------------|-----|-------|
| DCA-102 | 70 x 125mm 11H | 1 | 7.24 |
| DCA-103 | 70 x 192mm 11H | 1 | 10.13 |
| DCA-87 | 70 x 420mm | 1 | 21.91 |
| DCA-104 | 70 x 420mm 23H | 1 | 18.72 |
| | | | |

CIRCULAR BLADES



Oscillating cutting blades


| MARINE & COMPOSITES | |
|--------------------------|--|
| | |
| BUILDING & DECORATION | |



| PART # | DIMENSION | QTY | PRICE |
|-----------|-----------|-----|-------|
| DCA-25 | 75mm | 1 | 34.22 |
| DCA-25/60 | 60mm | 1 | 32.56 |

SPOT WELD DRILL BITS











AIR SAW BLADE



Reciprocating saw blades 80mm Bi-flex steel

| PART # | TPI | QTY | QTY P/PACK | PRICE Per Pack |
|---------|-----|-----|---------------|-------------------|
| P9AA005 | 32 | 1 | 10 | 31.61 |
| P9AA011 | 24 | 1 | 10 | 31.61 |
| | | | | |



PAINT SCRAPER



Effective removal of paint & coatings from timber Lightweight ergonomic handle design Fitted with hard wearing tungsten carbide blade Quick release mechanism Reversible 50mm blade



| 50mm | | | | | |
|--|---------|---|-------|--|--|
| PART # TYPE QTY PRICE P/PACK PER PACK | | | | | |
| R-TCS50 | Scraper | 1 | 12.87 | | |
| R-TCB5 | Blades | 5 | 32.02 | | |

INDASA LOW TACK CLOTH



Resealable foil bag → Prolongs cloth effectiveness

Low tack adhesive → No streaking or residue transfer Non woven lint free cloth → Excellent dust absorption

| 400 x 400mm | | | | |
|-------------|----------------|----------------|-------------------|--|
| Part # | QTY P/ Pack | QTY P/ CASE | PRICE Per case | |
| 436783 | 15 | 20 | 195.52 | |



ERASER WHEEL



Fast removal of adhesive residue 6mm spindle size Natural rubber



| 90mmx 15mm | | | | |
|------------|---------------|----------------|------------------|--|
| Part # | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX | |
| DCA-49 | 1 | 1 | 14.67 | |

RHYNO MIXING BOARD



ANCILLIARIES

Clean mixing surface \rightarrow Contamination free mixing Rigid backing board \rightarrow Easy to mix filler Non-porous paper sheet \rightarrow Single sheet usage Easy tear \rightarrow No wastage



| PART # | QTY P/ BOX | QTY P/ CASE | PRICE PER BOX |
|--------|---------------|----------------|------------------|
| 408339 | 20 | 1 | 104.60 |

DRY GUIDE COAT



Maximises coverage on filler/primer \rightarrow Effective detection of surface imperfections **Black powder coating** \rightarrow No masking, no overspray, no drying time **Supplied with hand applicator** \rightarrow Quick & easy to apply





| PART # PACK SIZE | | CTN QTY | PRICE PER CTN |
|------------------|------|---------|------------------|
| 528983 | 100g | 6 | 99.86 |

INDASA WORKSTATION PRO



Dimension → 1336mm x 1043mm x 643mm (H x W x D) Weight → 54 kg





| ACCESORIES | | | | | |
|--|-----------------------|---|-------|--|--|
| PART # DESCRIPTION QTY PRICE P/ Pack PER Pack | | | | | |
| 593905 | Extra Metal Hook (A) | 4 | 25.60 | | |
| 593202 | Paper Roll Holder (B) | 1 | 71.10 | | |
| 593219 | Extra Shelf (C) | 1 | 45.20 | | |

SEALANTS, ADHESIVES & COATINGS







SEALANTS, ADHESIVES & COATINGS

Comprehensive range of performance body repair materials for key areas of panel sealing and bonding, anti-corrosion, plastic repair and aerosol coatings Refer to technical data sheet for product specifications

CARTRIDGE SEALANTS



POLYURETHANE SEALANT



High strength adhesive sealant \rightarrow Excellent bonding properties Fast drying moisture cure \rightarrow Can be painted when fully dry Resistant to UV, water and oil \rightarrow Forms a tough permanently flexible seal

| PART # | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|--------|-----------|---------|-------------------|
| 472576 | Black | | 12 | 15.48 |
| 472583 | Grey | 310ml | 12 | 15.48 |
| 472590 | White | _ | 12 | 15.48 |
| | | | | |

MS POLYMER SEALANT



High solids sealant adhesive \rightarrow Superior strength adhesive properties Fast drying moisture cure \rightarrow Can be painted wet on wet Isocyanate and silicone free \rightarrow Compliant use in the bodyshop

| PART # | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|--------|-----------|---------|-------------------|
| 472637 | Black | 200ml | 12 | 16.10 |
| 472644 | White | – 290ml | 12 | 16.10 |
| | | | | |

MS SPRAYABLE SEALANT



High solid sealant adhesive \rightarrow Superior strength adhesive properties **Extremely versatile** \rightarrow Apply as spray seam, extruded bead, brush seam and spray coating **Textured spray finish** \rightarrow Replicates OEM finish on joints and bulkheads

| PART # | COLOUR | PACK SIZE | CTN QTY | Price Per Pack |
|--------|--------|-----------|---------|-------------------|
| 472675 | Grey | – 290ml | 12 | 20.75 |
| 472682 | Beige | 290111 | 12 | 20.75 |

CAR BODY SEALANT



Synthetic rubber base general purpose seam sealant Good adhesion to bare or painted metal Quick drying and paintable when cured

| PART # | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|--------|-----------|---------|-------------------|
| 472552 | Grey | 310ml | 12 | 9.18 |

DIRECT GLAZING SEALANT



One part PU sealant adhesive for bonded windscreen Excellent adhesive bond to glass, metal and painted surfaces High shear strength and UV resistance Use in conjunction with cleaner and primer

| Part # | TYPE | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|---------|--------|-----------|---------|-------------------|
| 472620 | Sealant | Black | 310ml | 1 | 18.80 |
| 472606 | Cleaner | | 30ml | 1 | 10.20 |
| 472569 | Primer | Black | 30ml | 12 | 13.35 |

BRUSHABLE SEAM SEALANT



Synthetic based sealant for welded or bolted seams Replicates OEM finish on overlap seams and joints Brushes out without stringing or sagging



| PART # | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|--------|-----------|---------|-------------------|
| 472545 | Grey | 1kg | 12 | 22.82 |

PLASTIC REPAIR ADHESIVES

PLASTIC REPAIR ADHESIVE



2 part PU adhesive \rightarrow Exceptional bond strength

1 or 5 minute application/work time \rightarrow High speed cure rate Automatic one step mixing nozzle \rightarrow Easy extrusion and beading

Repair and bond on rigid and semi rigid plastics

| PART # | TYPE | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|-------|--------|-----------|---------|-------------------|
| 472767 | 1 min | Black | 50ml | 1 | 29.47 |
| 472774 | 1 min | Clear | 50ml | 1 | 29.47 |
| 493953 | 5 min | Black | 50ml | 1 | 29.47 |



POWER WELD



2 part methacrylate adhesive → Excellent shear strength Fast fixing and cure rate → Can be painted after 1 hour Automatic one step mixing nozzle → Easy extrusion and beading Bonds & seals simultaneously → Provides for excellent corrosion resistance

| PART # | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|--------|-----------|---------|-------------------|
| 472781 | Black | 50ml | 1 | 26.80 |



ANTI-CORROSION

UNDERBODY COATING



Bitumen based protective coating → Spray gun application Excellent adhesion properties → Long term resistance to corrosive elements Flexible/elastic coating → Protects against stone chip penetration Available in aerosol for small repair & touch up coverage

Wax based protective coating \rightarrow Spray gun application

| 472200 Ritumen Black 1lt 12 8.50 | RT # | Г# ТҮРЕ | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|-------------------------------------|------|-------------|--------|-----------|---------|-------------------|
| 472200 Ditumen Diack nit 12 0.09 | 200 | 200 Bitumen | Black | 1lt | 12 | 8.59 |
| 472132 Aerosol Black 500ml 12 11.64 | 132 | 32 Aerosol | Black | 500ml | 12 | 11.64 |
| 472217 Wax Black 1lt 12 17.68 | 217 | 17 Wax | Black | 1lt | 12 | 17.68 |

STONE CHIP COATING



Synthetic rubber based protective coating \rightarrow Replicates OEM finish Excellent adhesion properties \rightarrow Long term resistance to stone chip penetration Textured finish achieved by application \rightarrow Can be painted once fully cured Available in aerosol for small repair & touch up coverage

| PART # | TYPE | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|---------|--------|-----------|---------|-------------------|
| 472514 | | Black | 1lt | 12 | 14.42 |
| 472521 | | Grey | 1lt | 12 | 14.42 |
| 472538 | | White | 1lt | 12 | 14.42 |
| 472484 | Aerosol | Black | 500ml | 12 | 17.01 |
| 472491 | Aerosol | Grey | 500ml | 12 | 17.01 |
| 472507 | Aerosol | White | 500ml | 12 | 17.01 |



CAVITY WAX



Wax coating for cavity & box section bodywork \rightarrow Resistant to corrosive elements Excellent penetration \rightarrow Maximum coverage & protection Amber or clear \rightarrow Replicates OEM finish Available in aerosol for small repair & touch up coverage

| PART # | TYPE | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|---------|--------|-----------|---------|-------------------|
| 472118 | Aerosol | Amber | 500ml | 12 | 13.41 |
| 472149 | | Amber | 1lt | 12 | 15.65 |
| 472156 | | Amber | 5lt | 12 | 77.20 |
| 472125 | Aerosol | Clear | 500ml | 12 | 13.41 |
| 472170 | | Clear | 1lt | 12 | 15.65 |
| 472187 | | Clear | 5lt | 12 | 77.20 |


SOUND DEADENING



MARINE & COMPOSITES

Self adhesive sound absorption pads replicate OEM finish Easy to cut to shape & apply Elame retardant compliance EMVS302

Flame retardant compliance FMVS302



| PART # | ŧ TYPE | SIZE | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|-----------|-------------|--------------|------------|-------------------|
| 46127 | 3 Pattern | 500 x 500mm | 4 | 1 | 38.25 |
| 46128 | 0 Pattern | 200 x 500mm | 10 | 1 | 38.25 |
| 46129 | 7 Smooth | 500 x 500mm | 4 | 1 | 47.35 |
| 46130 | 3 Smooth | 200 x 500mm | 10 | 1 | 47.35 |



AEROSOL COATINGS

HIGH BUILD PRIMER AEROSOL



Versatile one pack acrylic based primer Excellent adhesion to prepared substrates Quick drying

| PART # | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|-----------|-----------|---------|-------------------|
| 472927 | Dark grey | 500ml | 12 | 16.58 |
| 472934 | Grey | 500ml | 12 | 16.58 |
| 472941 | White | 500ml | 12 | 16.58 |

ETCH PRIMER AEROSOL



Primer & adhesion promoter for bare metal Excellent anti-corrosion properties High build for superior coverage

| PART # | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|--------|-----------|---------|-------------------|
| 472958 | Beige | 400ml | 12 | 16.58 |
| 472965 | Grey | 400ml | 12 | 16.58 |
| | | | | |

ZINC WELD PRIMER AEROSOL



MARINE & COMPOSITES

Zinc rich weldable primer for mig or spot weld applications Excellent anti-corrosion properties Fast drying

| PART # | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|--------|-----------|---------|-------------------|
| 472972 | Grey | 400ml | 12 | 15.05 |

ACRYLIC TOPCOAT AEROSOL



MARINE & COMPOSITES Hard, durable topcoat paint finish Excellent build and coverage Quick drying High gloss clearcoat Fade out thinner for blend repairs

| PART # | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|------------------|-----------|---------|-------------------|
| 481844 | Gloss Black | 500ml | 12 | 6.60 |
| 481851 | Satin Black | 500ml | 12 | 6.60 |
| 481868 | Matt Black | 500ml | 12 | 6.60 |
| 481875 | Wheel Silver | 500ml | 12 | 6.60 |
| 481882 | Fade Out Thinner | 500ml | 12 | 13.04 |
| 472910 | Clearcoat | 500ml | 12 | 16.58 |









PLASTIC COATING AEROSOL



Refinish coatings for plastic components Concise range covers popular colours Compatible with compliant refinish systems

| PART # | COLOUR | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|---------------------|-----------|---------|-------------------|
| 481899 | Light Grey | 400ml | 12 | 16.63 |
| 481905 | Mid Grey | 400ml | 12 | 16.63 |
| 481912 | Dark Grey | 400ml | 12 | 16.63 |
| 481929 | Black | 400ml | 12 | 16.63 |
| 481936 | Fine Texture Black | 400ml | 12 | 16.63 |
| 481943 | Primer Grey | 400ml | 12 | 16.63 |
| 481967 | Plastic Preparation | 400ml | 12 | 16.63 |
| 481950 | Adhesion Promoter | 400ml | 12 | 16.63 |
| | | | | |



APPLICATORS & NOZZLES



Pneumatic & manual equipment for sealants & anti-corrosion coatings Nozzles & accessories



| PART # | ТҮРЕ | PACK QTY | Price Per Pack |
|--------|--------------------------------------|----------|-------------------|
| 473047 | Pneumatic Gun for MS Spray Sealant | 1 | 425.13 |
| 473030 | Pneumatic Gun For MS Polymer | 1 | 334.11 |
| 473054 | Cavity Wax Spray Gun | 1 | 49.77 |
| 473061 | Underbody Coating Spray Gun | 1 | 49.77 |
| 472897 | 2 Part Adhesive Cartridge Gun | 1 | 64.49 |
| | | | |
| 472712 | Inner Nozzle For 473047 | 1 | 2.14 |
| 472729 | Narrow Nozzle For 473047 | 1 | 5.86 |
| 472736 | Wide Nozzle For 473047 | 1 | 5.86 |
| 472866 | Mixer Nozzle For 472897 | 12 | 20.94 |
| 481127 | Cartridge Sealant Nozzle Guide 310ml | 1 | 47.90 |
| 481134 | Cartridge Nozzle 310ml Flat Bead | 12 | 25.46 |
| 593974 | Butterfly Nozzle for 310ml Cartridge | 12 | 22.52 |



AUTOFILL





A concise range of high performance fillers, stoppers and glazes for the professional refinisher Formulated to deliver maximum substrate adhesion, ease of application and effortless sanding Rapid curing to minimise repair down time and maximise operator productivity Excellent sag, shrink and bleed through resistance



| AUTOFILL | | | | | | |
|----------|--|------|-----------|---------|-------------------|--|
| PART # | ТҮРЕ | FORM | PACK SIZE | CTN QTY | PRICE Per Pack | |
| 507193 | Gold - Premium Filler | | 3lt | 4 | 48.75 | |
| 543320 | Gold Ultra (D) - Optimum Repair Filler | | 2.9kg | 6 | 45.60 | |
| 507216 | Silver - Easy Sand Filler | | 3lt | 4 | 36.56 | |
| 525135 | XF - Lightweight Filler | Tin | 3lt | 4 | 36.56 | |
| 507254 | K-Tech - Reinforced Filler | 1111 | 1.8kg | 4 | 31.99 | |
| 540497 | Fibre - Glass Fibre Filler | | 3.5kg | 4 | 51.18 | |
| 507247 | Glaze - Finishing Glaze | | 470ml | 6 | 18.67 | |
| 540480 | Plas-Tech - Plastic Filler | | 1kg | 6 | 27.34 | |
| 509425 | Spreader | Pack | 10 | 100 | 3.02 | |
| 507278 | Hardener | Tube | 78g | 1 | 4.28 | |

Innovative Repair Solutions that Perform EVERCOAT®

THE RAGE[®] ULTRA EXPRESS

REPAIR PROCESS IS SAVING MORE BODYSHOPS MORE TIME AND MORE MONEY THAN YOU COULD EVER POSSIBLY BELIEVE...



CONTAINS ECORESIN™ EXCLUSIVE EVERCOAT PATENTED TECHNOLOGY







A single application prevents micro-pinholes and scratches, then conditions the surface for enhanced primer coverage

The fastest process for panel repair and prep

sales@evercoat.co.uk Distributed by INDASA



EVERCOAT





Market leading range of surface preparation materials Specialist in automotive crash repair applications Growing number of unique and patented products Innovative Repair Solutions that Perform Refer to technical data sheet for product specification



| PART # | ТҮРЕ | COLOUR | FORM | PACK SIZE | CTN QTY | PRICE Per Pack |
|--------|---|--------|----------------------------------|--------------|------------|-------------------|
| 101341 | Rage Ultra - Universal Lightweight Filler | Beige | | 3lt | 4 | 56.09 |
| 100144 | Rage Ultra Xtra - Lightweight Filler | | | 3lt | 4 | 57.18 |
| 104106 | Rage Gold - Premium Lightweight Filler | Yellow | Tin | 3lt | 4 | 47.20 |
| 101667 | Z-Grip - Lightweight Filler | White | | 3lt | 4 | 39.52 |
| 101342 | EZ Ultra Lite - Ultra Lightweight Filler | Grey | | 3lt | 4 | 28.30 |
| 104425 | Metal Glaze Ultra - Flowable Fine Filler | | Pump ⁻ dispenser - | 880ml | 6 | 26.67 |
| 101669 | Easy Sand - Flowable Finishing Putty | White | | 880ml | 6 | 22.63 |
| 104411 | Polyflex - Flexible Finishing Putty | | шаропасі | 880ml | 6 | 29.97 |
| 104116 | Fiber Tech - Reinforced Repair Filler | Purple | Pouch | 814g | 6 | 20.69 |
| 104708 | Slick Sand Dolycotor Drimor Surfacer | Crow | Tin | 946ml | 6 | 33.52 |
| 104709 | Slick Sand - Polyester Primer Surfacer | Grey | | 3.78lt | 4 | 119.34 |
| 104415 | 440 Everage Miero Dipholo Eliminator | | Dottlo | 118ml | 12 | 14.74 |
| 104440 | 440 Express - Micro Pinhole Eliminator | - | Bottle | 473ml | 6 | 50.83 |
| 101355 | Hardener | Blue | Tube | 78g | 24 | 4.28 |

FUSOR[®] Aftermarket Repair Adhesives

LORD Fusor[®] Automotive Repair Adhesives are used to return vehicles to are used to return vehicles to pre-accident condition. These adhesives are specially formulated to repair all types of automotive substrates, using the same proven adhesive technology that is delivered to the OEMs.





Crash tested, OEM-approved assembly and repair adhesives

Fusor[®] PERFORMANCE PRODUCTS

- Collision focused repair adhesives, sealers & sound control
- Proprietary technology for OEM specification and replication
- Outstanding performance delivering reduced cycle times, faster curing for quicker painting and increased productivity
- Compact product range incorporating the very latest in acrylic, urethane and epoxy adhesive technologies

Metal adhesives

Plastic adhesives

Sealers & Foam



LORD provides valuable expertise in adhesives and coatings, vibration and motion control. Innovative and responsive in an ever-changing marketplace, we are focused on providing solutions for our customers worldwide. Our UK distribution partner (Indasa Abrasives) has been chosen to deliver the highly specialised products, technical support and customer service.... Ask Us How.

LORD FUSOR



AUTOMOTIVE AUTOMOTIVE MARINE & COMPOSITES Collision focused repair adhesives and sealers

The very latest in acrylic, urethane and epoxy adhesive technologies

Proprietary technology and OEM replication

Outstanding performance delivering reduced cycle times, faster curing for quicker painting

and increased productivity

Refer to technical data sheet for product specifications

METAL ADHESIVES

| PART # | ТҮРЕ | PACK SIZE | PACK QTY | PRICE Per Pack |
|------------|-----------------------------------|-----------|-------------|-------------------|
| FUSOR108BE | Metal Bonding Adhesive (medium) | 225ml | 1 | 74.81 |
| FUSOR110B | Metal Bonding Adhesive (Fast) | 225ml | 1 | 74.81 |
| FUSOR208B | Panel Bonding Adhesive (Slow) | 300ml | 1 | 85.36 |
| FUSOR2098 | Crash durable structural adhesive | 195ml | 1 | 88.44 |

PLASTIC ADHESIVES

| PART # | ТҮРЕ | PACK SIZE | PACK QTY | PRICE Per Pack |
|------------|---------------------------------------|-----------|-------------|-------------------|
| FUSOR132 | Plastic Repair Adhesive (Super Fast) | 300ml | 1 | 78.72 |
| FUSOR133 | Plastic Repair Adhesive (Super Fast) | 50ml | 1 | 38.51 |
| FUSOR142 | Plastic Repair Adhesive (Fast) | 300ml | 1 | 78.72 |
| FUSOR143 | Plastic Repair Adhesive (Fast) | 50ml | 1 | 38.51 |
| FUSOR152 | Plastic Repair Adhesive (Medium) | 300ml | 1 | 78.72 |
| FUSOR140 | Clear Plastic Bonding Adhesive (Fast) | 50ml | 1 | 38.51 |
| FUSOR114LG | Plastic Finishing Adhesive (Fast) | 300ml | 1 | 85.36 |

SEALERS

| PART # | ТҮРЕ | PACK SIZE | PACK QTY | PRICE Per Pack |
|----------|------------------------------------|-----------|-------------|-------------------|
| FUSOR129 | Controlled Flow Seam Sealer (Fast) | 300ml | 1 | 81.87 |

ACCESSORIES

| PART # | ТҮРЕ | PACK SIZE | PACK QTY | PRICE Per Pack |
|------------|--|---------------------|-------------|-------------------|
| FUSOR300 | Manual Dispensing Gun 50ml Cartridge | | 1 | 79.98 |
| FUSOR302 | Manual Dispensing Gun 300/225ml Cartridge | | 1 | 130.28 |
| FUSOR304 | Pneumatic Dispensing Gun 300/225ml Cartridge | | 1 | 474.88 |
| FUSOR400 | 50ml Cartridge Mixing Tips | | 12 | 23.41 |
| FUSOR401 | 300/225ml Cartrigde Mixing Tips | | 12 | 28.89 |
| FUSOR420 | 195ml Cartridge Mixing Tips | | 12 | 28.89 |
| FUSOR602EZ | Surface Modifier | 255ml | 1 | 34.02 |
| FUSOR700 | Reinforcing Mesh 102mm x 3.7m | 102mm x 3.7m | 1 | 22.99 |
| FUSOR702 | Fibreglass Cloth 102mm x 3.7m | 102mm x 3.7m | 1 | 35.40 |
| FUSOR703 | Adhesion Prep/Cleaner | 946ml | 1 | 31.56 |
| FUSOR704 | Saturation Roller 76mm | | 1 | 40.85 |
| | | | | |
| 571231 | Magnetic Lining Strip | 12.7mm x 1.5mm x 3m | 1 | 4.36 |
| 577974 | Sealant Profile Spreader | | 5 | 15.76 |

POLISHING YOU CAN SEE IT IN THE FINISH





AUTOGLOSS COMPOUND PLUS



Fast cutting abrasive power \rightarrow Permanent removal of P1500 scratch marks Dry use \rightarrow Cleaner and quicker process, no excessive dusting or splatter Silicone free formulation \rightarrow Safe for the bodyshop

Single stage process → Superior system efficiency to achieve gloss finish



AUTOGLOSS HIGH-GLOSS PLUS



Dry use → Cleaner and quicker process, no excessive dusting or splatter Silicone free formulation → Safe for the bodyshop Protective properties → Produces a durable, water repellent glaze Colour restoration → Professional showroom finish

| PART # | SIZE | QTY | PRICE |
|--------|------|-----|-------|
| 578124 | 1lt | 1 | 30.40 |

578094

1kg

1

30.40



AUTOGLOSS COMPOUND PLUS & HIGH-GLOSS PLUS

NDAS

NDASA

DAS



TOELOSS

eloss plus

OSS

AUTOGLOSS MOP



Soft / medium / hard density → Smear free polishing / increased flexibility / long lasting performance **Removes swirl marks** → Restores high gloss finish Nylon grip backing system → Quick & easy to fit

580141

580158

580165

580172

580189

580196

Open cell foam → Minimises heat build up

80mm diameter → Ideal for smart repair applications





PRICE Per Paci

32.11

21.91

32.11

21.91

32.11

21.91

QTY P/ Pac

5

2

5

2

5

2

80mm

150mm

80mm

150mm

80mm

150mm

White

Yellow

Black





| | 000 | | | | 01.0 | |
|----|------------|------|-------|-----|------|--|
| AU | OSS | MICH | { = | БКЕ | GLU | |
| | | | | | | |





| PART | # SIZE | QTY P/ Pack | PRICE PER PACK |
|-------|----------------|----------------|-------------------|
| 48402 | 29 410mm x 410 | mm 2 | 7.04 |

TECHNICAL TAPES

ADHESIVE FIXING & MASKING SOLUTIONS





MASKING TAPE - MTG

Ideal for general paint masking and industrial applications Extremely flexible and conformable → Easy to tear Excellent adhesion good mechanical strength



| GENERAL PURPOSE | | | | | | |
|-----------------|------------|---------|------------------|--|--|--|
| PART # | SIZE | BOX QTY | PRICE PER BOX | | | |
| MTG-25 | 25mm x 45m | 36 | 30.66 | | | |
| MTG-38 | 38mm x 45m | 24 | 30.66 | | | |
| MTG-50 | 50mm x 45m | 20 | 33.77 | | | |
| MTG-75 | 75mm x 45m | 12 | 30.66 | | | |
| | | | | | | |

MASKING TAPE - MTE



Excellent adhesion → Good mechanical strength Flexible → Easy to shape on contours Easy/clean removal → Leaves no residue Solvent resistant → Paint will not bleed Consistency of thickness → Uniform paint edge Easy roll release → Easy to apply 80°C temp rating → Low bake refinishing



| LOW BAKE | | | | | |
|----------|--------|------------|------------------|-------|--|
| | PART # | BOX QTY | PRICE PER BOX | | |
| | MTE-18 | 18mm x 50m | 48 | 37.57 | |
| | MTE-24 | 24mm x 50m | 36 | 37.57 | |
| | MTE-36 | 36mm x 50m | 24 | 37.57 | |
| | MTE-48 | 48mm x 50m | 20 | 41.77 | |
| | MTE-72 | 72mm x 50m | 12 | 37.57 | |
| | | | | | |

MASKING TAPE MTE - RED



Assured tack adhesion \rightarrow No lifting through bake cycle Extremely flexible and conformable → Easy to tear Natural rubber resin adhesive → Eliminates adhesion transfer 100°C temperature ratings (30 mins)



| | ASSURED PERFO | ORMANCE | |
|--------|---------------|---------|------------------|
| PART # | SIZE | BOX QTY | PRICE PER BOX |
| 580370 | 24mm x 50m | 36 | 39.34 |
| 580387 | 36mm x 50m | 24 | 39.34 |
| 580394 | 48mm x 50m | 20 | 43.76 |
| | | | |



| ASKING TAP | PE - MTE RED |
|---|--------------|
| territ i ing befores i generation destructions | · · · · · |
| Berrer v Stiller & Parlie | |
| AL THINK I I | |

MASKING TAPE - MTY



Excellent adhesion → Good mechanical strength Flexible → Easy to shape on contours Solvent resistant → Paint will not bleed Consistency of thickness → Uniform paint edge Easy roll release → Easy to apply Waterproof backing → Indoor & outdoor use 110°C temp rating → High bake refinishing UV resistant → Easy clean removal without adhesive transfer



| PREMIUM REFINISH GRADE | | | |
|------------------------|------------|---------|------------------|
| Part # | SIZE | BOX QTY | PRICE PER BOX |
| 556740 | 18mm x 50m | 48 | 59.94 |
| 565957 | 24mm x 50m | 36 | 59.94 |
| 556771 | 36mm x 50m | 24 | 59.94 |
| 563199 | 48mm x 50m | 20 | 66.58 |

MASKING TAPE - MTX



Superior adhesion \rightarrow Excellent mechanical strength 120°C temperature rating Excellent UV resistance \rightarrow Up to 14 days Water resistant backing \rightarrow Indoor/outdoor applications



| | HIGH TEMPER | ATURE | |
|--------|-------------|---------|------------------|
| Part # | SIZE | BOX QTY | PRICE PER BOX |
| MTX-24 | 24mm x 50m | 36 | 71.79 |
| MTX-36 | 36mm x 50m | 24 | 71.79 |
| MTX-48 | 48mm x 50m | 20 | 78.74 |

MASKING COVER ROLLS



High density polyethylene masking film (9 micron) Decorator's grade crepe paper masking tape Static cling for easy application Pre-folded for convenient dispensing Easy roll release





| PART # | SIZE | BOX QTY | PRICE Per Roll |
|--------|--------------|---------|-------------------|
| 460559 | 350mm x 25m | 50 | 2.03 |
| 460566 | 600mm x 25m | 50 | 2.45 |
| 462973 | 1200mm x 25m | 25 | 4.32 |
| 460573 | 1800mm x 25m | 25 | 5.46 |



RHYNO MASKING FOAM



Foam tape for masking apertures Eliminates paint build up & hard edge Low tack adhesion for easy application Box dispenser for dust free storage



| PART # | SIZE | BOX QTY | PRICE PER BOX |
|--------|----------------|---------|------------------|
| 320587 | 13mm x 5m x 10 | 1 | 18.42 |
| 322789 | 19mm x 5m x 7 | 1 | 18.42 |





DOUBLE SIDED BADGE TAPE



High strength adhesive \rightarrow Good holding power Medium density foam \rightarrow Absorbs vibration Ideal for mounting badges & trim





| PART # | SIZE | QTY | PRICE PER ROLL |
|--------|------------|-----|-------------------|
| MBT-6 | 6mm x 10m | 1 | 1.92 |
| MBT-9 | 9mm x 10m | 1 | 2.41 |
| MBT-12 | 12mm x 10m | 1 | 3.04 |
| MBT-19 | 19mm x 10m | 1 | 4.37 |
| MBT-25 | 25mm x 10m | 1 | 5.58 |
| MBT-50 | 50mm x 5m | 1 | 5.36 |
| | | | |

FINE LINE TAPE (BLUE)



Increased flexibility \rightarrow Easy to shape on contours Extremely flat PVC backing \rightarrow Leaves a clean sharp edge Easy and clean removal \rightarrow Leaves no residue Temperature resistant \rightarrow Low bake refinishing

MARINE & COMPOSITES



| PART # | SIZE | QTY | PER ROLL |
|--------|------------|-----|----------|
| 570968 | 3mm x 55m | 1 | 4.60 |
| 570975 | 6mm x 55m | 1 | 7.52 |
| 570982 | 9mm x 55m | 1 | 11.52 |
| 570999 | 12mm x 55m | 1 | 12.26 |
| 571002 | 19mm x 55m | 1 | 18.04 |
| | | | |



FINE LINE TAPE (GREEN)



Extremely flat PVC backing \rightarrow Leaves a clean sharp edge Easy and clean removal \rightarrow Leaves no residue Temperature resistant \rightarrow Low bake refinishing



| PART # | SIZE | QTY | Price Per Roll |
|--------|------------|-----|-------------------|
| 566237 | 3mm x 55m | 1 | 2.91 |
| 566244 | 6mm x 55m | 1 | 4.43 |
| 566251 | 9mm x 55m | 1 | 5.75 |
| 566268 | 12mm x 55m | 1 | 7.74 |
| | | | |

ACRYLIC FIXING TAPE



Superior strength adhesive bond UV & moisture resistant

High density acrylic foam tape → Produces a flush fixing





TRIM MASKING TAPE



Masks & protects windscreen rubber & trim Perforated for easy tear & application Eliminates the risk of paint overspray & hard edge

| PART # | SIZE | QTY | PRICE PER ROLL |
|--------|------------|-----|-------------------|
| 566329 | 45mm x 10m | 1 | 16.53 |





FAST FIX TAPE





Excellent adhesion → Long lasting bonding Produces a flush adhesive fix on rubber/plastic trim

Extremely versatile and easy to apply → Transparent tape for multiple applications Multifunctional double sided tape → Versatility in use

| PART # | SIZE | QTY | PRICE Per Roll |
|--------|------------|-----|-------------------|
| 566336 | 12mm x 10m | 1 | 5.55 |
| 566343 | 19mm x 10m | 1 | 7.23 |
| | | | |

BADGE AND EMBLEM ADHESIVE



COMPOSITES

Adhesive transfer strip for vehicle badges High tack adhesive secures a permanent bond **Replicates OEM finish**





ANTI-SLIP TAPE



Provides anti-slip tread on stairs & treads

Hard wearing mineral coating → Excellent adhesion to most surfaces Low profile → Flush fitting

Suitable for indoor & outdoor application → Available in black and black & yellow

566374

566381



| MARINE & COMPOSITES |
|------------------------|
| |







Black

Black & Yellow

50mm x 18.3m

50mm x 18.3m



PRICE Er rol

21.00

22.34


1

1

ALUMINIUM FOIL TAPE



High temperature resistance (infrared curing) Acrylic adhesive backing → Extremely flexible Good mechanical strength



MULTI-PURPOSE WATERPROOF CLOTH TAPE



High strength adhesive \rightarrow Easy to unwind & tear Waterproof for indoor & outdoor use Reinforced cloth weave \rightarrow Available in black or silver



 PART #
 COLOUR
 SIZE
 QTY
 PRICE PER ROLL

 538463
 Black
 48mm x 50m
 1
 9.64

 538487
 Silver
 48mm x 50m
 1
 9.64









TERMS & CONDITIONS

1. GENERAL

All Tenders for products, materials or equipment to be supplied by or through Indasa Abrasives (UK) Ltd (hereinafter referred to as "the Company") are offered subject to the following express terms and conditions, which shall be deemed to exclude all conditions, warranties and guarantees implied or provided by common law, statute, trade, custom or otherwise including the Conditions of Purchase (if any) notified to the Company by the Customer.

2. PRICES

- **2.01** Unless otherwise expressly agreed in writing by us all quotations, prices and conditions are subject to revision without notice. The Company reserves the right to increase prices at any time prior to acceptance of any order placed.
- **2.02** In the case of the products of the Company's manufacture, except where expressly stated otherwise, a shortage or surplus, charged pro rata, not exceeding 10 per cent will be considered due execution of any order.

3. DELIVERY

- **3.01** Where contracts provide for a single delivery goods shall be delivered and accepted as soon as ready.
- **3.02** Where contracts provide for deferred deliveries such deliveries shall be accepted as specifed in the contract (or as soon thereafter as ready) provided that all deliveries shall be accepted within six months from the date specified for the first delivery. In the event of failure to accept any delivery the balance remaining undelivered shall be invoiced (payment for such balance immediately thereupon becoming due) and storage costs charged to Customer's account, the goods being held at Customer's risk.
- **3.03** The times given for delivery are approximate and without guarantee, and the Company whilst using its best endeavours to comply with these times accept no liability to failure to deliver any goods on a stated date.
- **3.04** All goods are delivered in accordance with the rules determined by ICC Incoterms 2010 Delivered at Place (DAP) unless otherwise stated.

4. DEFECTS The Company will at its option either repair free of charge or replace free of charge any product which is found to the satisfaction of the Company to be defective as a result of faulty design, manufacture or workmanship provided that:

- (a) The Products are returned properly packed carriage paid to the Company at the Customer's risk within a period of 1 month from the date of delivery; and
- (b) where the products are made to Customer's specification, defects are not a result of errors in such specification;
- (c) the Products have not been modified in any way by the Customer; and
- (d) the Products have not been used for any purpose other than that for which they were designed or otherwise mis-used.

Repaired or replaced goods will be returned free of charge to destinations on the mainland of the United Kingdom or delivered F.O.B. U.K. Port for other destinations.

5. PAYMENT

- **5.01** Payment shall be net cash not later than end of month following date of invoice.
- **5.02** The Company reserves the right to charge interest at the rate of 2% per annum above the base rate of National Westminster Bank Limited from time to time ruling on any sums from time to time payable to the Company in accordance with the provisions of 5.01.
- **5.03** In the event of a Customer failing to make payment against any invoice at the proper time the Company shall be entitled to delay, suspend or cancel any further deliveries to the Customer to retain any of that Customer's goods in its hands without prejudice to any other rights to which the Company may be entitled.

6. RETENTION OF TITLE

The risk in the goods shall pass from the seller to the buyer upon delivery of such goods to the buyer. However, notwithstanding delivery and the passing of risk in the goods, title and property in the goods, including full legal and beneficial ownership, shall not pass to the buyer until the seller has received in cash or cleared funds payment in full for all goods delivered to the buyer under this and all other contracts between the seller and the buyer for which payment of the full price of the goods thereunder has not been paid.

7. CLAIMS AND DISPUTES

- 7.01 Any Customer wishing to make a claim alleging shortage in weight or numbers in respect of products, materials or equipment supplied by the Company shall give notice in writing within three days of delivery of the goods stating fully the grounds of that claim.
- **7.02** Claims for non delivery shall be made in writing within one month of the invoice date. The Company will obtain and supply proof of delivery (P.O.D) on written request received within the period stipulated above.
- 7.03 The Contract or Sale between the Company and the Customer shall be adjudicated in the event of dispute in accordance with the Law of England.

8. FORCE MAJEURE

The performance of all contracts is subject to variation or cancellation by the Company owing to any Act of God, war, strikes, lock-outs, fire, flood, drought, tempest or any other cause beyond the control of the Company or owing to the inability by the Company to procure materials required in the manufacture of products to be supplied by the Company under the contract.

HEADQUARTER



INDASA - Indústria de Abrasivos. S.A.

Apartado 3005 3801-101 Aveiro. Portugal Tel. +(351) 234 303 600 Fax +(351) 234 303 605 Email: indasa@indasa-abrasives.com

FROM PORTUGAL TO THE 5 CONTINENTS

AFILLIATES


INDASA-Ind. Abrasivos España. S.A.U

Ctra. Santiga. 100-108. naves 21 a 24 Pol. Ind. Els Pinetons Apartado de Correos 104 08291 Ripollet. Barcelona Tel: +(34) 9358630300 Fax: +(34) 935863381 E-mail: indasa@indasa.es



INDASA - Abrasives (UK) Ltd.

Viking Works Greenstead Road Colchester. Essex. CO1 2ST



INDASA FRANCE

Tel: + (44) 1206 870366 Fax: + (44) 1206 860525

P.A. de l'Hippodrome 4 Rue de l'Artifice 69140 Rillieux la Pape Tel: + (33) 4 78 88 58 32 Fax: + (33) 4 78 88 56 65 E-mail: contact@indasa.fr



INDASA Schleifmittel GmbH

Monzastraße 4D 63225 Langen Tel: +(49) 6103 388 99 0 Fax: +(49) 6103 388 99 60 E-mail: info@indasa.de



INDASA Brasil. Ltda.

Rua Sérgio Jungblut Dieterich. 930/940 Bairro São João Porto Alegre / RS CEP 91060-410 Tel: +(55) 51 3350 5090 Fax: +(55) 51 2131 0917 E-mail: vendasbr@indasabrasil.com.br



INDASA Polska SP. zo.o.

UI. Astronomów 10 80-299 Gdansk Tel: +(48) 58 554 02 00 Fax: +(48) 58 522 94 61 E-mail: indasa@indasa.pl



INDASA USA. INC. 23 Madison Road



INDASA ITALIA S.r.I Strada del Portone 127/B 10095 Grugliasco (TO) Tel: +39 011 4278321 info@indasaitalia.it www.indasaitalia.it



Indasa Corporate Video INDASA best choice for surface preparation

INDASA - Abrasives (UK) Ltd. Viking Works

Viking Works Greenstead Road Colchester. Essex. CO1 2ST Tel: + (44) 1206 870366 Fax: + (44) 1206 860525 E-mail: office@indasa.co.uk

Find us on Facebook & LinkedIn @IndasaUK

